

Eurorite RTA


by woodlore®

READY TO ASSEMBLE

Cabinets

Catalogue



EuroriteRTA

by woodlore®

OUR CATALOGUE

- What is Eurorite RTA?
- The Benefits Of Eurorite RTA
- Free Professional Design Service
- Dealer Information.....
- Receiving and Freight Claims
- Warranty.....
- Appearance Disclaimer
- Use, Care & Cleaning Tips.....
- Requesting A Quote.....
- How to Order.....
- Installation Tips
- 2 Part Pantry.....
- Installation Tips
- Microwave Cabinet
- Blind Corner Wall & Base Cabinets
- Hinge Adjustment.....
- Drawer Clip Installation & Adjustment

- Door Styles
- Combination Examples.....
- Vanity Cabinet Construction
- Vanity Cabinets
- Accessories.....

KITCHENS

- Door Styles
- Cabinet Construction Metal Drawer Box
- Getting Started.....
- 1. Planning.....
- 2. Defining Your Floor Plan.....
- 3. Ordering.....
- Base Cabinets.....
- Wall Cabinets
- Blind Corner Wall Cabinets.....
- Accessories.....


BATHROOMS

Quality Cabinets Quick!

Kitchen & bathroom cabinet door selection



Door Style SR:



Door Style FR:

Black Forest



Alpine



White Forest



Luna



OUR CATALOGUE

This product catalogue has been created to give you, our valued customers, a full understanding of our Eurorite RTA program and products. We offer only the highest quality products and provide the most dedicated service. In our catalogue you will find our terms, conditions, cabinet specifications and pricing.

For additional information and support please visit our website at: www.woodlore.ca



DEALER FOCUSED

Woodlore has created a program with our dealers in mind. From our point-of-sale materials and order placement to product support, installation guidance, and shipping and receiving procedures, we have considered our dealers' needs every step of the way. We are focused on streamlining our processes to make our program simple and efficient.

CABINETS FOR EVERY ROOM

Our versatile cabinet program is designed to bring beautiful, functional storage to every room in the home. From bathrooms, closets, garages, and laundry rooms to home offices, entertainment spaces, and beyond, our flexible system adapts seamlessly to your needs. Contact us to learn more about the program and how it can work in any space you're designing.

CUSTOMER SERVICE & SUPPORT

We are dedicated to providing an exceptional connection between our dealers and our sales and dealer services teams. Our knowledgeable and friendly customer support team is available live Monday to Friday, from 7:00 a.m. to 5:00 p.m. PST.

SHORT LEAD TIMES

The Eurorite RTA solution offers a range of high quality cabinet solutions that ship within 7-10 business days.



Eurorite RTA is Woodlore's premiere Canadian quality, ready to assemble cabinet line. We bring almost 40 years of precision. A simple, affordable cabinet program that is easy to understand, and trust...all in one box!

THE BENEFITS:


- Soft Close Metal Drawers and Soft Closing Doors
- Packaged In One Box For Simple Assembly
- Integrated Toekick
- Easy Handling and Transportation
- Precision Cut And Drilled For A Proper Fit
- Eco-Friendly Case and Door Materials (CarbII & TSCA VI Compliant)
- Easy Metal Cam and Dowel System
- Full Depth Adjustable Shelves
- Manufacturer's Warranty
- Made In Canada

FREE PROFESSIONAL DESIGN SERVICE

A professionally designed kitchen complete with floor plan and perspectives is the best way to 'wow' your customer and increase buyer confidence. Eurorite has partnered with 20/20 Technologies to develop a design catalogue that makes designing a kitchen easy. This catalogue is loaded with all the NKBA guidelines to ensure your designers have all the rules and design tips at their fingertips.

If you don't have the 20/20 design program yet, our team of professional designers will take your layout drawings and transform them to a presentation ready design, free of charge. All 20/20 quotes are in list price.

FLOOR PLAN



PERSPECTIVE



QUOTE

Qty	UOM	Floor Plan Item Code	Manufacturer Code	Description
14	1	BD12-L	BD12-L	BD12-BG/D12D - Base w/Door & Draw
15	1	DW36	DW36	DW36
16	1	PB30	PB30	PB30
17	1	BD18-R	BD18-R	BD18
18	1	B27	B27	B27/B27C
19	1	FR9024	FR9024	FR9024
20	3	TK96	TK96	TK96
21	1	FS330	FS330	FS330
22	1	FS330	FS330	FS330
Cabinets total:				
Cabinets net total:				
Accessories				
23	2	FS330	FS330	FS330
24	1	FS330	FS330	FS330
25	2	INS	INS	INS
Accessories total:				
Accessories net total:				
ERCADY total:				
ERCADY net total:				

Qty	UOM	Floor Plan Item Code	Manufacturer Code	Description
14	1	BD12-L	BD12-L	BD12-BG/D12D - Base w/Door & Draw
15	1	DW36	DW36	DW36 - Dishwasher End Cabinet
16	1	PB30	PB30	PB30/BG/D12D - Pots & Pans Draw
17	1	BD18-R	BD18-R	BD18-BG/D18D - Base w/Door & Draw
18	1	B27	B27	B27/BG/D12D - Base w/Full Height D
19	1	FR9024	FR9024	FR9024 - Fridge End Gable
20	3	TK96	TK96	TK96 - 96" Toe Kick
21	1	FS330	FS330	FS330 - 3" W Base Filler
22	1	FS330	FS330	FS330 - 3" W Base Filler
Cabinets total:				
Cabinets net total:				
Accessories				
23	2	FS330	FS330	FS330 - Filler
24	1	FS330	FS330	FS330 - Filler
25	2	INS	INS	INS - Installation Screw Kit
Accessories total:				
Accessories net total:				
ERCADY total:				
ERCADY net total:				

DEALER INFORMATION

If you have questions about the products and program please contact us at:

Toll Free: 1-855-276-2214

Lower Mainland: 604-464-5060

Once our sales team has collected the necessary information required to open a Woodlore dealer account, the account will be set up and you will be informed of your terms and conditions. You are now ready to place an order!

See our [How To Order](#) for details on placing an order

RECEIVING AND FREIGHT CLAIMS

Please inspect your order upon receiving it. Should you receive an incorrect or damaged item(s), please contact dealer services **within 24 hours** to re-order the correct item(s). Here is a basic outline of some procedures intended to assist you receiving your order and how to deal with a damaged shipment:

1. Inspect all sides of all pieces of the shipment.
2. Count how many pieces you are receiving and verify with the Bill of Lading.
3. Make note of any damage or missing items on the Bill of Lading.
4. Sign Bill of Lading yourself. The driver will also need to sign off on the damage on the Bill of Lading.
 - **If your shipment is damaged, it is important to sign the Bill of Lading “Damaged.”**
 - **This statement will ensure the speedy handling of any claims that have to be made with the shipping companies.**
5. Take pictures of the pallets, boxes, or items from a distance of 8 feet from the pallet of the damaged areas before unwrapping.
6. Unwrap and take detailed pictures, around 2 to 3 feet from the damaged cabinets/box/item.
7. For packages, please also remember to take pictures from about 2 feet away. Pictures should be taken both before and after the package has been opened.
8. Hold onto ALL damaged product until further instruction. Refusal to accept the product will result in a delay in the claim process.
9. When Woodlore pays the shipping, it is our job to process the claim for product and shipping with the freight company. Please email our Dealer Services Department at dealerservices@woodlore.ca the following:
 - Bill of Lading with your signature, the driver’s signature, and the damage noted on it.
 - Your packing slip with the item(s) that are damaged circled clearly.
 - Pictures of the shipment.
 - A new No-Charge PO for the replacement item(s).
10. For **COLLECT SHIPMENTS**: The dealer is responsible to process claims to the freight company for shipping costs and the replacement cost of the item(s) damaged when the order is shipped collect to the dealer. Contact your shipping company for their procedures. To place your replacement order, please email our Dealer Services Department at dealerservices@woodlore.ca the following:
 - A new PO for the replacement product.

WARRANTY

All parts and products manufactured to be free of substantial defects in materials and workmanship for a period of five (5) years from date of purchase and under normal home use. In addition, the extension of a lifetime warranty through suppliers specifically on all hinges and drawer glides.

This warranty is only extended to the original purchaser, is subject to proof of purchase and may not be transferred to any subsequent owner. Warranties do not apply to products used for rental, commercial, business, institutional, or other non-residential applications. The warranty is determined at the sole discretion of Woodlore and at Woodlore's option limited to repair, replacement, or substitution of parts and/or products found to be defective under normal indoor residential use. Refunds are not available.

In no event will Woodlore be liable for any loss or damage of any kind including but not limited to any indirect, special, incidental or consequential damages arising from the use of this product by any person.

Woodlore makes every effort to use the best materials & manufacturing techniques available, with continuous improvements. Woodlore reserves the right to change specifications in design and materials without notice and with no obligation to retrofit products previously manufactured.

Woodlore shall not be liable for any loss or damage of any kind including but not limited to any indirect, special or consequential damages arising from the use of this product by any person.

Limitations:

This is a parts-only warranty and is only valid in Canada and the United States of America.

THIS WARRANTY DOES NOT COVER:

1. Labour, installation or transport costs.
2. Consequential or incidental damage or any damage or errors resulting from or related to the transport, removal, installation or use of product.
3. Faulty installation.
4. Environmental influences such as water, humidity absorption, mold, UV rays, light exposure or extreme temperature.
5. Incorrect storage, delivery or handling.
6. Any altered, modified or refinished product.
7. Normal wear and tear or misuse.
8. Any product moved from its original installed location.

Excess moisture is harmful to any finish & substrate material. Water should be dried off of doors immediately with a dry soft cloth. Avoid water settling against the bottom of toe kicks, panels & doors as it will cause the material to swell. Although a painted finish is very hard, it also can be susceptible to chipping due to an abrupt impact. Once a chip has occurred, the bond between paint & surface is compromised and can sometimes flake away easily unless repaired. This isn't a manufacturing flaw; it's the nature of the product.

Cabinetry performance is susceptible to heat and steam damage. Industry standard clearances for ranges, wall ovens, and appliances that produce steam should be adhered to avoid damage to cabinetry. Heat deflectors/shields are recommended for use adjacent to ranges. During the self-cleaning operation of ranges, cabinet doors and drawers adjacent to that appliance should be opened to increase airflow and prevent damage.

Please contact Dealer Services for instructions on how to process warranty claims dealerservices@woodlore.ca

Warranty claims must be submitted with the following:

- Original purchase documents.
- Pictures of the damage or defect.
- A copy of the waybill, if applicable.

APPEARANCE DISCLAIMER

Woodlore is diligent in creating consistency however, you should expect variation in product appearance in every kitchen due to finish techniques, producing characteristics, lighting, aging and care. The amount of variation is dependent on all the above and is unavoidable.

Grain direction can impact the colour tone of wood. Horizontal pieces placed next to vertical pieces may appear different. Lighting reflections and colour tone may again change appearance as well. Edge-banding is usually made from PVC and is colour consistent however will not match the variation in laminates.

Products will all age at different rates both through oxidation and sunlight exposure. Replacement doors may not match at all. Samples are to provide an approximate appearance of the product before purchase. Samples may be out of date, aged, damaged or otherwise and not exactly represent the current product. In addition, manufacturing occasionally refines products or specifications and samples may not reflect this activity.

USE, CARE & CLEANING TIPS

THERMOFOIL, LAMINATE DOORS & COMPONENTS

These doors can be wiped with a clean, damp cloth.

To remove tough stains, use a soft cloth moistened with a mild soap or cleanser. Fine, soft scrub pads can be used without risk of damage if used gently.

Citrus oils, paste wax or polishes that contain silicone can leave a residue that is difficult to remove therefore we do not recommend the use of these types of products. Woodlore sells a “touch-up” kit for our doors to touch up any nicks or scratches that can occur over time.

CABINET INTERIORS

Clean interiors using a damp cloth and mild soap or cleanser. Do not use excessive amounts of water. Water can seep into the seams of the cabinet and cause the material to swell or warp. Sink base and vanity cabinets are the most likely to have some water damage. You can protect the surface with a plastic liner or pan.

HEAT AND HUMIDITY DAMAGE

Ovens, ranges, cook tops, toasters, cooking pots and other small appliances can produce large amounts of heat and steam. Ensure these items are positioned so that no heat or moisture becomes trapped under or along side cabinetry, otherwise, you risk damage to your doors, drawer faces and moulding which is not covered under warranty. We recommend you remove any doors or drawer faces adjacent to a self cleaning oven. If at all possible, pull the range out. The radiant heat can be extremely high while cleaning and can damage or destroy cabinetry.

SUNLIGHT AND AGING

Direct and constant sunlight can fade or discolour cabinets and doors. Excess smoke and chemicals can also cause some materials to fade or vary from their original colour. Beware of how much sunlight, smoke and chemicals your cabinetry is exposed to. Cabinets or accessories added on later may not match the original cabinets installed. For the same reasons, display door samples may not represent the exact colour of cabinets received by the customer. Heat deflectors/shields are recommended for use adjacent to ranges.

MOISTURE

Excess moisture is harmful to any finish & substrate material. Water should be dried off of doors immediately with a dry soft cloth. Avoid water settling against the bottom of toe kicks, panels & doors as it will cause the material to swell. Although a painted finish is very hard, it also can be susceptible to chipping due to an abrupt impact. Once a chip has occurred, the bond between paint & surface is compromised and can sometimes flake away easily unless repaired. This isn't a manufacturing flaw; it's the nature of the product. A touch up kit should be purchased with every cabinetry order.

REQUESTING A QUOTE

Email Measurements / List to: dealerservices@woodlore.ca

- A quotation document will be returned to the store within 1 business day.
- Woodlore's "Order Quotation" document are at your cost after your multiplier has been applied.
- Review your quote. Send changes / revisions back to Woodlore Cabinets written directly on the quote pages sent to you. Revisions will be made and a second quote will be sent back to the store for approval.
- Once the quote is signed/approved the order is placed for the items quoted, see [How To Order](#).
- All quotes will remain in Woodlore's system for 30 days. After 30 days the quote will be deleted.
- Quotes are not a commitment to purchase. Ship dates will not be assigned to any quote. Ship dates are assigned to committed orders only.
- Any document sent to Woodlore with a purchase order number on it will be deemed a committed order and will be processed as an order. If the document has no purchase order number it will be deemed a quotation request

HOW TO ORDER

Email Measurements / List to: dealerservices@woodlore.ca

CHECK YOUR ORDER ACKNOWLEDGMENT SENT BACK TO YOU. A SHIP DATE will be assigned to the order at this stage, based on Woodlore's product lead times.

****IMPORTANT**** If you do not receive an order acknowledgment within 1 business day of sending in your purchase order contact Woodlore's Dealer service toll-free 1-855-276-2214

- Orders must have a store purchase order, otherwise they will be treated as quotes. Phone orders are not accepted.
- Orders must contain Woodlore's product codes or they will be treated as quotes.
- It is our goal to enter orders the same day they are received. Delays may occur during high volume periods.
- Once the order is entered and an order acknowledgment is sent, you have 24 hours to make any corrections or changes. Changes will affect the ship date.
- After the 24 hour period, the order will be in the production process and no changes will be accepted.
- Orders do not require a signed off copy to be sent back.


INSTALLATION TIPS

Detailed cabinet assembly instructions are available for downloading online from our website woodlore.ca. For the following pages will have important information when installing some of our more unique type of cabinets. Installation screw kits are sold separately. One INS kit can install on average 7 cabinets. Be sure to order enough to complete your installation.

2 PART PANTRY

We have developed a unique system for the pantry cabinets. The pantry cabinet is installed on top of a base cabinet. You can choose a door & drawer base, a full height door base or drawer bank. Whatever works best with your design and storage needs. This pantry is available in 18" or 24" width. When using a pantry cabinet here are a few things to remember:


1. Verify height allowance when designing the space.
2. Attach the cabinet to the wall using carriage bolts.
3. To cover the side seam, you can install a fridge gable.
4. Include overall height of base cabinet and pantry top when placing your order
5. Comes with brackets to secure pantry top doors together.



MICROWAVE CABINET

We have developed a unique system for any microwave configuration. The MW cabinet has an extended bottom shelf and no doors to house your microwave. This cabinet is available in either 24" or 30" width. The microwave cabinet is to be assembled and attached to any 2 door wall cabinet. When using a microwave wall cabinet here are a few things to remember:


1. Verify height allowance when designing the space.
2. Attach the MW cabinet below the wall cabinet using the supplied carriage bolts.
3. To cover the side seam, you can install a panel.
4. Usable depth is 15 3/4".
5. Microwave cabinet comes with a finished interior.



BLIND CORNER WALL & BASE CABINETS

Blind corner cabinets can be used when space is an issue and a traditional angle corner will not fit. When installing these cabinets here are a few things to remember:

1. You must “pull” the blind cabinet out from the wall far enough to clear the adjacent cabinet, door and hardware. On average that would be 2-4" for blind wall install and 8-10" for blind base install.
2. A filler strip has to be installed between the blind panel and the adjacent cabinet. The filler strip must be greater than the projection of the handle on the adjacent cabinets.
3. A 36" blind wall comes with 2 doors.




Wall space requirements (Wall):

- 24" = 26" - 34" (12" door)
- 27" = 29" - 37" (15" door)
- 30" = 32" - 40" (18" door)
- 33" = 35" - 43" (21" door)
- 36" = 38" - 46" (24" doors)

Wall space requirements (Base):

- 27" = 35" - 49" (9" door)
- 30" = 38" - 52" (12" door)
- 33" = 41" - 55" (15" door)
- 36" = 44" - 58" (18" door)




INSTALLATION TIPS

HINGE INSTALLATION & ADJUSTMENT


On a clean surface, install hinges into the door(s) by gently hammering the hinge with a rubber mallet until fully seated. Install the doors by attaching the hinges to the mounting plates on the cabinet and click into place.

Adjust the hinges and move doors to fill any gaps.



DRAWER CLIP INSTALLATION & ADJUSTMENT

For installation information and adjustment tips on our drawer boxes please go to woodlore.ca



READY TO ASSEMBLE
Kitchens

KITCHENS




DOOR STYLE



Door Style SR:



Door Style FR:



Black Forest



White Forest



Luna



Alpine

ORDERING

- Once a layout/design and price is decided, your order is ready to place.
- Contact dealer services for placing an order, options and procedures, or see our [How To Order](#) section of this catalogue.
- Once you place your order, you will receive a confirmation showing your ship date. Keep a copy of your design/plan and confirmation.
- For assistance placing an order, visit www.woodlore.ca

CABINET CONSTRUCTION METAL DRAWER BOX

SOFT CLOSE DRAWERS:

Our Eurorite RTA program offers 3/4 extension, soft closing, metal-sided drawers.

Specs on our

Metal Drawer Box:

- Drawer sides are white epoxy coated, stamped steel with integrated runners and rollers.
- Drawer boxes are soft closing, single extension with captive rail and a four point suspension system.
- Drawer bottoms and backs are 5/8" thick white TFL board secured to the drawer sides by euro screws.
- They have a static capacity of 55 lbs.
- The drawer fronts are adjustable vertically and horizontally by adjusting the drawer face connection.



KITCHENS

CASES:

- 5/8" thick furniture grade TFL board.
- Frameless construction.
- All gables are white. Vertical edges are taped in the matching door colour.
- Interiors are white; complementary interiors are offered on cabinets without doors.
- Plant on gables must be purchased for exposed ends.

SPREADER RAILS:

- 5/8" thick K3 board, edge taped to match the interior of the cabinets.
- Rails increase the strength of the cabinet, as well as help to make the counter-top installation easy.

BACKBOARDS:

- Backboards are 1/8" white hardboard material.
- Backboards on cabinets 27" and over are 2 parts.

SHELVES:

- Adjustable shelves are 5/8" TFL, full depth to provide maximum storage capacity.
- Colour-matched to the interior of the cabinet to finish the look.

TOE KICK:

- 3/4" thick furniture grade TFL board, cut and notched at 4 3/8" high and 2 3/4" deep.
- Toe kick needs to be ordered separately and comes supplied with matching edge tape to finish the cut end where exposed.


SOFT CLOSE HINGES

- Concealed, European-style soft close, integrated, with clip on metal hinges (nickel plated steel).
- 6-way adjustable (up, down, side to side and in and out) for the perfect fit and minimal gap.

PRODUCT LIST

BASE CABINETS


KITCHEN



Single Door Base

Height	34 3/4"
Width	9" - 21"
Depth	23 5/8"
Depth of Drawer	n/a
Doors	1
Drawers	0
Adj. Shelves	1
Gables	5/8" TFL


DESCRIPTION	CODE
09"w full height 1 door	B09__
12"w full height 1 door	B12__
15"w full height 1 door	B15__
18"w full height 1 door	B18__
21"w full height 1 door	B21__



Double Door Base

Height	34 3/4"
Width	24" - 36"
Depth	23 5/8"
Depth of Drawer	n/a
Doors	2
Drawers	0
Adj. Shelves	1
Gables	5/8" TFL

DESCRIPTION	CODE
24"w full height 2 door	B24__
27"w full height 2 door	B27__
30"w full height 2 door	B30__
33"w full height 2 door	B33__
36"w full height 2 door	B36__



Single Door & Drawer Base


Height	34 3/4"
Width	12" - 21"
Depth	23 5/8"
Depth of Drawer	19 5/8"
Doors	1
Drawers	1
Adj. Shelves	1
Gables	5/8" TFL

DESCRIPTION	CODE
12"w 1 door & 1 drawer	BD12__
15"w 1 door & 1 drawer	BD15__
18"w 1 door & 1 drawer	BD18__
21"w 1 door & 1 drawer	BD21__

PRODUCT LIST

BASE CABINETS


Double Door & Single Drawer Base



Height 34 3/4"
 Width 24" - 36"
 Depth 23 5/8"
 Depth of Drawer 19 5/8"
 Doors 2
 Drawers 1
 Adj. Shelves 1
 Gables 5/8" TFL

DESCRIPTION	CODE
24"w 2 door & 1 drawer	BD24__
27"w 2 door & 1 drawer	BD27__
30"w 2 door & 1 drawer	BD30__
33"w 2 door & 1 drawer	BD33__
36"w 2 door & 1 drawer	BD36__


3 Drawer Bank Base



Height 34 3/4"
 Width 12" - 18"
 Depth 23 5/8"
 Depth of Drawer 19 5/8"
 Doors 0
 Drawers 3
 Adj. Shelves 0
 Gables 5/8" TFL

DESCRIPTION	CODE
12"w 3 drawer base	DB12__
15"w 3 drawer base	DB15__
18"w 3 drawer base	DB18__

3 Drawer Bank Base



Height 34 3/4"
 Width 24" - 30"
 Depth 23 5/8"
 Depth of Drawer 19 5/8"
 Doors 0
 Drawers 3
 Adj. Shelves 0
 Gables 5/8" TFL

DESCRIPTION	CODE
24"w 3 drawer base	PB24__
27"w 3 drawer base	PB27__
30"w 3 drawer base	PB30__


KITCHENS

PRODUCT LIST

BASE CABINETS

KITCHEN


Sink Base



Height	34 3/4"
Width	30" - 36"
Depth	23 5/8"
Depth of Drawer	n/a
Doors	2
Drawers	0
Adj. Shelves	0
Gables	5/8" TFL
False Drwr Front	1

DESCRIPTION	CODE
30"w 2 door sink	SB30__
33"w 2 door sink	SB33__
36"w 2 door sink	SB36__


Standard Corner Base



Height	34 3/4"
Width	33", 36"
Depth	23 5/8"
Doors	2
Drawers	0
Adj. Shelves	1
Gables	5/8" TFL

DESCRIPTION	CODE
33"w 2 door corner base	BC3333__
36"w 2 door corner base	BC3636__

Blind Corner Base




Height	34 3/4"
Width	27" - 36"
Depth	23 5/8"
Depth of Drawer	0
Doors	1
Drawers	0
Adj. Shelves	1
Gables	5/8" TFL

DESCRIPTION	CODE
27"w 1 door blind cnr	BBC27__
30"w 1 door blind cnr	BBC30__
33"w 1 door blind cnr	BBC33__
36"w 1 door blind cnr	BBC36__

PRODUCT LIST

WALL CABINETS

Pantry Top




Height	50 3/8", 55 1/2"
Width	18" - 24"
Depth	23 5/8"
Doors	PT18 - 2 PT24 - 4
Drawers	0
Adj. Shelves	3

DESCRIPTION	CODE
18"w pantry top	PT1850_
24"w pantry top	PT2450_
18"w pantry top	PT1855_
24"w pantry top	PT2455_

- Pantry tops are to be combined with a base cabinet of equal width.
- Overall pantry height when combined with base Cabinets **PT1850 / PT2450 = 85 3/16"**
Cabinets **PT1855 / PT2455 = 90 3/16"**

Microwave Shelf




Height	15", 18"
Width	24", 30"
Depth	11 7/8"
Shelf Depth	15 3/4"
Doors	0
Adj. Shelves	0
Depth inside	11"

DESCRIPTION	CODE
24"w 15"h Micro-wall	MW2415
24"w 18"h Micro-wall	MW2418
30"w 15"h Micro-wall	MW3015
30"w 18"h Micro-wall	MW3018

- Should be combined with a wall cabinet
- Cabinet comes with finished interior, exterior, and shelf.
- See [Install Tips](#) or visit woodlore.ca

24"H x 12"D Wall



Height	24"
Width	24" - 36"
Depth	11 7/8"
Doors	2
Adj. Shelves	1
Depth inside	11"
Gables	5/8" TFL


DESCRIPTION	CODE
30"w wall cabinet	W3024_
33"w wall cabinet	W3324_
36"w wall cabinet	W3624_

PRODUCT LIST

WALL CABINETS

KITCHEN

12”H x 12”D Appliance Wall




Height 11 3/8"
Width 30" - 36"
Depth 11 7/8"

Doors 2
Adj. Shelves 0
Depth inside 11"
Gables 5/8" TFL

DESCRIPTION	CODE
30"w appliance wall	W3012_
33"w appliance wall	W3312_
36"w appliance wall	W3612_

12”H x 24”D Appliance Wall




Height 11 3/8"
Width 30" - 36"
Depth 23 5/8"

Doors 2
Adj. Shelves 0
Depth inside 22 7/8"
Gables 5/8" TFL

DESCRIPTION	CODE
30"w deep appliance wall	W301224_
33"w deep appliance wall	W331224_
36"w deep appliance wall	W361224_

• We recommend 24" deep wall cabinets are supported on both sides.

15”H x 12”D Appliance Wall




Height 15 1/8"
Width 24" - 36"
Depth 11 7/8"
Depth 11"

Doors 2
Adj. Shelves 0
Depth inside 11"
Gables 5/8" TFL

DESCRIPTION	CODE
24"w appliance wall	W2415_
30"w appliance wall	W3015_
33"w appliance wall	W3315_
36"w appliance wall	W3615_

PRODUCT LIST

WALL CABINETS




15”H x 24”D Appliance Wall

Height	15 1/8"
Width	30" - 36"
Depth	23 5/8"
Doors	2
Adj. Shelves	0
Depth inside	22 7/8"
Gables	5/8" TFL

DESCRIPTION	CODE
30"w appliance wall	W301524_
33"w appliance wall	W331524_
36"w appliance wall	W361524_


We recommend 24" deep wall cabinets are supported on both sides



18”H x 12”D Appliance Wall

Height	17 5/8"
Width	24" - 36"
Depth	11 7/8"
Doors	2
Adj. Shelves	0
Depth inside	11"
Gables	5/8" TFL

DESCRIPTION	CODE
24"w appliance wall	W2418_
30"w appliance wall	W3018_
33"w appliance wall	W3318_
36"w appliance wall	W3618_



18”H x 24”D Appliance Wall


Height	17 5/8"
Width	30" - 36"
Depth	23 5/8"
Doors	2
Adj. Shelves	0
Depth inside	22 7/8"
Gables	5/8" TFL

DESCRIPTION	CODE
30"w deep appliance wall	W301824_
33"w deep appliance wall	W331824_
36"w deep appliance wall	W361824_

• *We recommend 24" deep wall cabinets are supported on both sides.*

PRODUCT LIST


WALL CABINETS



30”H x 12”D Single Door

Height 30 1/4"
 Width 9" - 21"
 Depth 11 7/8"
 Doors 1
 Adj. Shelves 2
 Depth inside 11"
 Gables 5/8" TFL

DESCRIPTION	CODE
09"w wall 1 door	W0930_
12"w wall 1 door	W1230_
15"w wall 1 door	W1530_
18"w wall 1 door	W1830_
21"w wall 1 door	W2130_




36”H x 12”D Single Door

Height 35 1/4"
 Width 9" - 21"
 Depth 11 7/8"
 Doors 1
 Adj. Shelves 2
 Depth inside 11"
 Gables 5/8" TFL

DESCRIPTION	CODE
09"w wall 1 door	W0936_
12"w wall 1 door	W1236_
15"w wall 1 door	W1536_
18"w wall 1 door	W1836_
21"w wall 1 door	W2136_

PRODUCT LIST


WALL CABINETS



30”H x 12”D Double Door

Height 30 1/4"
 Width 24" - 36"
 Depth 11 7/8"
 Doors 2
 Adj. Shelves 2
 Depth inside 11"
 Gables 5/8" TFL

DESCRIPTION	CODE
24”w wall 2 door	W2430_
27”w wall 2 door	W2730_
30”w wall 2 door	W3030_
33”w wall 2 door	W3330_
36”w wall 2 door	W3630_



36”H x 12”D Double Door


Height 35 1/4"
 Width 24" - 36"
 Depth 11 7/8"
 Doors 2
 Adj. Shelves 2
 Depth inside 11"
 Gables 5/8" TFL

DESCRIPTION	CODE
24”w wall 2 door	W2436_
27”w wall 2 door	W2736_
30”w wall 2 door	W3036_
33”w wall 2 door	W3336_
36”w wall 2 door	W3636_

PRODUCT LIST

WALL CABINETS


KITCHEN



30”H x 12”D Wall Corner

Height 30 1/4"
Width 24" along wall
Depth 11 7/8"
Doors 1
Adj. Shelves 2
Depth inside 11"
Gables 5/8" TFL


DESCRIPTION	CODE
24"w wall corner	WC2430_



36”H x 12”D Wall Corner

Height 35 1/4"
Width 24" along wall
Depth 11 7/8"
Doors 1
Adj. Shelves 2
Depth inside 11"
Gables 5/8" TFL

DESCRIPTION	CODE
24"w wall corner	WC2436_



30”H Single Blind Wall Corner


Height 30 1/4"
Width 24" - 33"
Depth 11 7/8"
Doors 1
Adj. Shelves 2
Depth inside 11"
Gables 5/8" TFL

DESCRIPTION	CODE
24"w blind wall	WBC2430_
27"w blind wall	WBC2730_
30"w blind wall	WBC3030_
33"w blind wall	WBC3330_

- See [Install Tips](#)
- All blind corner wall cabinets must be pulled a min. of 2" to a maximum of 10" from the corner.

PRODUCT LIST

WALL CABINETS




36”H Single Blind Wall Corner

Height	35 1/4"
Width	24 - 33"
Depth	11 7/8"
Doors	1
Adj. Shelves	2
Depth inside	11"
Gables	5/8" TFL

DESCRIPTION	CODE
24”w blind wall corner	WBC2436_
27”w blind wall corner	WBC2736_
30”w blind wall corner	WBC3036_
33”w blind wall corner	WBC3336_

- See [Install Tips](#)
- All blind corner wall cabinets must be pulled a min. of 2” to a maximum of 10” from the corner.




30”H Double Blind Wall Corner

Height	30 1/4"
Width	36"
Depth	11 7/8"
Doors	2
Adj. Shelves	2
Depth inside	11"
Gables	5/8" TFL

DESCRIPTION	CODE
36”w blind wall corner	WBC3630_

- See [Install Tips](#)
- Wall space requirements: 36” = 38”-46” (2 x 12” doors)
- All blind corner wall cabinets must be pulled a min. of 2” to a maximum of 10” from the corner.



36”H Double Blind Wall Corner


Height	35 1/4"
Width	36"
Depth	11 7/8"
Doors	2
Adj. Shelves	2
Depth inside	11"
Gables	5/8" TFL

DESCRIPTION	CODE
36”w blind wall corner	WBC3636_

- See [Install Tips](#)
- Wall space requirements: 36” = 38”-46” (2 x 12” doors)
- All blind corner wall cabinets must be pulled a min. of 2” to a maximum of 10” from the corner.

PRODUCT LIST

PULL OUT DRAWERS



Add to Base & Pantry Cabinets for improved functionality

SIZE	CODE
12" Pull Out Drawer	POD12
15" Pull Out Drawer	POD15
18" Pull Out Drawer	POD18
21" Pull Out Drawer	POD21
24" Pull Out Drawer	POD24
27" Pull Out Drawer	POD27
30" Pull Out Drawer	POD30
33" Pull Out Drawer	POD33
36" Pull Out Drawer	POD36

FILLER STRIPS




Taped
1 Long - 1 Short
3/4" Thick

Standard Filler Strip

SIZE	CODE
3" x 30-3/8"	FS330-__
3" x 35-1/4"	FS336-__
3" x 92-1/8"	FS392-__

FRIDGE GABLE



3/4" Thick

SIZE	CODE
85"h x 30"w	FR8530-__
91"h x 30"w	FR9130-__

BASE END PANEL

3/4" Thick



SIZE	CODE
34-3/4" x 26"	DW35-__

PENINSULA ISLAND BACKBOARD


3/4" Thick



SIZE	CODE
48" x 34-3/4"	PIB-__
48" x 42"	PIB42-__

TOE KICK


3/4" Thick



SIZE	CODE
4-3/8" x 48"	TK48-__
4-3/8" x 96"	TK96-__

WALL END PANEL

3/4" Thick



SIZE	CODE
30" x 13"	DC30-__
36" x 13"	DC36-__

PRODUCT LIST

INSTALL HARDWARE



SIZE	CODE
Hardware Bag	INS
Includes: 3/4" materials 30 x #8 1 1/8" screws 30 x #2 1/2 install screws 32 x Cam Covers (white) 30 x Screw Covers (white) 30 x Confirmat Cover (white)	

TOUCH-UP KIT



SIZE	CODE
Touch-Up Kit for Laminate & Thermofoil	TUKIT-

EDGE TAPE



SIZE	CODE
25' Roll	ET-__

KITCHENS



READY TO ASSEMBLE
Bathrooms



BATHROOM

DOOR STYLES & PRICE LEVELS

DOOR STYLE



Door Style SR:



Door Style FR:



Black Forest



Alpine




White Forest



Luna





VANITY CABINET CONSTRUCTION

CABINETS

Our frameless cabinets are constructed of 5/8" thick furniture grade TFL board. All gables are white. Vertical edges are taped in the matching door colour. The interior of the cabinets are white.

SOFT CLOSE DRAWERS

Our Eurorite RTA program offers drawers of metal box construction. The drawer sides are white epoxy coated, stamped steel with integrated runners and rollers. The drawer boxes are soft closing, single extension with captive rail and a four point suspension system.

Drawer bottoms and backs are 5/8" thick white TFL board secured to the drawer sides by euro screws. They have a static capacity of 55 lbs. The drawer fronts are adjustable vertically and horizontally by adjusting the drawer face connection.

TOE KICK

3/4" thick furniture grade TFL gables are cut and notched at 4 3/8" high and 2 3/4" deep. Toe kick comes supplied with the cabinet. A piece of matching edge tape is included to finish the cut end where exposed.


SOFT CLOSE HINGES

Concealed European style soft close integrated, with clip on metal hinges (nickel plated steel). The hinges are six way adjustable for the perfect fit and minimal gap. Up, down, side to side and in and out.




COMBINATION EXAMPLES


Woodlore's vanity cabinets are designed to be used as single units or in a variety of combinations. Here are some suggested combinations for common sizes:




48"W 1x 48" door/drawer




2x 12" drawers
1x 24" sink base




1x 30" door/drawer
1x linen tower
1x 3" filler




60"W 2x 30" door/drawer




1x 12" drawer
2x 24" sink base




1x 30" sink base
1x linen tower
1x 15" drawers



72"W 2x 30" sink base
1x 12" drawers



2x 12" drawer
2x 24" sink base




1x 36" door/drawer
2x linen tower
2x 3" filler

BATHROOM

PRODUCT LIST


VANITY CABINETS



Soft Close 2 Door Vanity

Height	32 1/4"
Width	24" & 30"
Depth of Cabinet	20 5/8"
Depth of Drawer	n/a
Doors	2
Drawers	0
Adj. Shelves	0
Gables	5/8" TFL

DESCRIPTION	CODE
24"w sink vanity 2 door	V2421_
30"w sink vanity 2 door	V3021_




Soft Close 1 Door / 2 Drw Vanity

Height	32 1/4"
Width	30"
Depth of Cabinet	20 5/8"
Depth of Drawer	15 3/4"
Doors	1
Drawers	2
Adj. Shelves	0

DESCRIPTION	CODE
30"w combo vanity	V3021_

- Drawers can be installed on the left or right side

Soft Close 2 Door / 2 Drawer




Height	32 1/4"
Width	36"
Depth of Cabinet	20 5/8"
Depth of Drawer	15 3/4"
Doors	2
Drawers	2
Adj. Shelves	0
Gables	5/8" TFL

DESCRIPTION	CODE
36"w combo vanity	VD3621_

- Drawers can be installed on the left or right side

PRODUCT LIST

VANITY CABINETS




Soft Close 2 Door / 4 Drawer

Height	32 1/4"
Width	48"
Depth of Cabinet	20 5/8"
Depth of Drawer	15 3/4"
Doors	2
Drawers	4
Adj. Shelves	0
Gables	5/8" TFL

DESCRIPTION	CODE
48"w combo vanity	VD4821- _

PRODUCT LIST


VANITY CABINETS



Soft Close 3 Drawer Vanity

Height	32 1/4"
Width	12" & 15"
Depth of cabinet	20 5/8"
Depth of drawer	19 5/8"
Doors	0
Drawers	3
Adj. Shelves	0
Gables	5/8" TFL

DESCRIPTION	CODE
12"w Vanity Drawers	VDB-1221-
15"w Vanity Drawers	VDB-1521-




Soft Close 2 Door Wall Cabinet

Height	31 7/8"
Width	20"
Depth	8 5/8"
Doors	2
Drawers	0
Adj. Shelves	2
Gables	5/8" TFL

DESCRIPTION	CODE
2 Door wall cabinet	VWALL20-

- Case is finished inside and out to complement door colour

Linen Tower - Cabinet Only




Height	83 7/8"
Width	15"
Depth of Cabinet	16 3/4"
Doors	2
Drawers	0
Adj. Shelves	5
Gables	5/8" TFL

DESCRIPTION	CODE
15"w linen tower	TL15 -

- Case is finished inside and out to complement door colour selected from price level.

PRODUCT LIST

VANITY CABINETS



Linen Tower Drawers Only/ Doors Only

To price a complete Linen tower, you must add together the Options you want with the TL15

EXAMPLE:

TL15-W + 15TLDBR + 1530TLDR-R (2)

- Case is finished inside and out to complement door colour

DESCRIPTION	CODE
3 Drawers for TL15 -	15TLDB -
1 Door for TL15 -	1530TLDR-

PRODUCT LIST

FILLER STRIPS



Taped
1 Long - 1 Short
3/4" thick

Standard Filler Strip

SIZE	CODE
3" x 30-3/8"	FS330-__
3" x 35-1/4"	FS336-__
3" x 92-1/8"	FS392-__

PENINSULA ISLAND BACKBOARD


3/4" thick



SIZE	CODE
48" x 34-3/4"	PIB-__
48" x 42"	PIB42-__

TOE KICK


3/4" thick



SIZE	CODE
4-3/8" x 48"	TK48-__
4-3/8" x 96"	TK96-__

BASE END PANEL

3/4" thick



SIZE	CODE
34-3/4" x 26"	DW35-__

PRODUCT LIST

INSTALL HARDWARE



SIZE	CODE
Hardware Bag	INS
Includes: 30 x #8 1 1/8" screws 30 x #2 1/2 install screws 32 x Cam Covers (white) 30 x Screw Covers (white) 30 x Confirmat Cover (white)	

TOUCH-UP KIT



SIZE	CODE	PRICE
Touch-Up Kit for Laminate &Thermofoil	TUKIT-	45.00

EDGE TAPE



SIZE	CODE
25' Roll	ET-__