


woodlore®

2024



SPECIFYING HINTS	5, 6, 7
HAVEN	
Features Overview	8
Instant Offices	9, 10
Photo Feature Page	11
Double Pedestal Desks	12
Single Pedestal Desks	13, 14
Executive Corner Desks	15
Executive P-Top Corner Desks	16
Executive D-Top Corner Desks	17, 18
Returns	19, 20
Returns - Aluminum Legs and Acrylic Panels; Bridges	21
Credenzas - Single Pedestal	22
Credenzas - Double Pedestal	23
Credenzas - Storage & Lateral File	24
Photo Feature Page	25
Reception Workstations	26
Corner Units	27
Specifying Guide - Using Keyboards, Corner Units & Desk Shell Notches	28
Desk Shells	29, 30, 31
Desk Shells with Inset Back Panel; Desk Shell Notches	32
Photo Feature Page	33
Extended Corner Desk Shells	34, 35
D-Tops	36
Photo Feature Page	37
P-Tops	38
Overheads	39, 40, 41
Corner Overheads	42
Overhead Tackboards and Paper Management Options	43
Reception Galleries	44
Extended Corner Reception Galleries	45
Reception Gallery Options	46
Pedestals	47
Lateral Files - Under Desk, Integrated and Stand Alone	48
Lower Storage Units - Under Desk and Freestanding	49
Storage Towers - 24" Wide	50
Storage Towers - 30" and 36" Wide	51
Bookcases	52
Desk Top Panels and Connector Tops	53, 54

.....

ACCESSORIES	55, 56
CONFERENCE ROOM	
Conference Table & Meeting Table Tops	57
Conference Table Bases	58
Photo Feature Page	59
Tables with Aluminum Legs and Acrylic Panels	60
Conference Room and Miscellaneous Furniture	61
WORKSURFACES	62, 63, 64
TERMS and CONDITIONS	Inside back cover

For customer service inquiries, call toll free:
1-866-791-9555

Changes to Product Offering & Finishes

Laminate Finishes

PRODUCT CULLING 2024

Haven Plus

FINISHES -CHANGES/ADDITIONS

New Colours

[New CDN Price List \(www.woodlore.ca/pricing\)](http://www.woodlore.ca/pricing)


[New USD Price List \(www.woodlore.ca/pricing\)](http://www.woodlore.ca/pricing)

Specifying Hints

HAVEN

24 LAMINATE CHOICES	FINISH NAME	COLOUR CODE	APPLICATION - USAGE
Woodgrains	Copacabana Dolce Vita Kensington Maple Monticello Maple Tuxedo White Chocolate	CP DV KM MM TX WC	Available for all surfaces, in all thicknesses
Solid Colours	Folkstone Gray White Black Charcoal	FG WH BK CL	Available for all surfaces, in all thicknesses Not recommended for worksurfaces,

EDGE DETAIL



HAVEN

- 1" thick worksurfaces and tops
- 2.5 mm flat edgebanding

HANDLES

Code

-  /WHB Waterfall Handle Black*
-  /OPB Open Pull Black
-  /OPN Open Pull Nickel
-  /BPA Bar Pull Aluminum
-  /RPA Rod Pull Aluminum

HAVEN

An integral pull is standard on all drawers and doors

- 5 optional surface-mounted handles available
- To order add handle code to product code and \$20 per handle to list price

Surface-mounted handles are standard where shown

- 5 handle choices available: add handle code to product code

* **NOTE:** Waterfall Handle Black will be provided as the standard default handle when none is specified

SPECIFYING INSTRUCTIONS

HAVEN Example: Double Pedestal Credenza with optional handles

CDP 7220A-H/OPB (CL/MP)

1st - Product Code.....CDP 7220A-H

2nd - Handle Option (if applicable).../OPB

3rd - Laminate Finish (Case/Top)....(CL/MP: Charcoal Case/Maple Top)

GROMMETS (Cable Management)

- Grommets are indicated on all product illustrations when standard
- 2¾" diameter opening
- For non-standard locations, field-installed grommet kits are available (see Accessories - page 55 & 56)
- A no-grommet option is available at no charge for desk shells, extended corner desk shells and corner units

LOCKS

- Locks are standard on all pedestals, credenzas and lateral files
- Locks are optional on all overheads and storage, except where noted
- Locks are pre-installed and 'Keyed-Random' in all workstation components (all multi-lock units are 'Keyed-Alike')
- Workstations are available 'Keyed-Alike' at time of order (see page 7)

PARTIAL HEIGHT BACK PANELS

- Full height back panels are standard
- Partial height back panels are available as a no-charge option on desk shells, extended corner desk shells and corner units
- Pedestal returns are available with an optional open back at no-charge

SIZES

- **Published width and depth dimensions are nominal**
- To determine actual sizes use the multiplier 0.9843...(Example: a desk listed with a nominal width of 60" is actually 60" x 0.9843 = 59 1/16") . . . refer to conversion chart below

Nominal	Actual	Nominal	Actual	Nominal	Actual
24"	23 5/8"	54"	53 1/8"	84"	82 11/16"
30"	29 1/2"	60"	59 1/16"	90"	88 9/16"
36"	35 7/16"	66"	64 15/16"	96"	94 1/2"
42"	41 5/16"	72"	70 7/8"	102"	100 3/8"
48"	47 1/4"	78"	76 3/4"	108"	106 1/4"

Specifying Hints

Keyed-Alike:

- Workstations can be ordered Keyed-Alike; Available at no charge at time of order only
- Entire order must be Keyed-Alike. If some furniture needs to be Keyed-Random place as separate order
- Order as "KAK"; specify total number of locks required and list quantity of each key number
- Key numbers range from #101 to #150
- Refer to attached chart for multi-lock products; all other products have one lock
- Example: Order 18 KAK and in the description specify: (2 each of #101-104; 3 each of #105, 106; 4 of #107)

When specifying 'Keyed-Alike' please note that the following products have *more* than one lock:

PRODUCT DESCRIPTION	PRODUCT CODE	LOCK QTY
Credenza - Double lateral File	CFF	2
Credenza - Double Pedestal	CDP	2
Credenza - Double Pedestal and Center Storage	CZ	3
Credenza - Double Storage	CSS	2
Credenza - Lateral File & Storage	CFS	2
Credenza - Storage & Lateral File	CSF	2
Desk - Bowfront Double Pedestal	BDP	2
Desk - Double Pedestal	DP	2
Lateral File - 3 Drawer	SLF3	2
Lateral File - 4 drawer	SLF4	2
Overhead - with Lock Option (48" - 78" wide) - with 3 or 4 Doors	OD/L	2
Overhead - Wall Mount - with Lock Option (48" - 78" wide)	WMOD/L	2
Storage and File Cabinet	BSCTL/BSCL	2
Storage Tower with Lateral File - with upper storage lock option	FS/L	2


The Haven furniture offering consists of an extensive portfolio of products designed to address today's workplace needs. Freestanding, modular components come together to provide intelligent solutions that support and enhance the work environment.

Features Overview

- All worksurfaces, tops and end panels are 1" thick
- Freestanding independent components provide maximum flexibility
- Most product is shipped pre-assembled. Products that are shipped ready-to-configure have most fittings pre-attached for quick installation
- All surfaces are manufactured using high-performance thermally fused laminate, providing a durable, resilient finish
- Matching edgebanding is 2.5mm thick ABS
- Woodgrain direction on doors and drawer fronts is vertical and grain-matched except where noted
- Integral pulls are standard on drawers and doors
- 5 surface-mounted handle options available (see page 4)
- Pedestals accommodate both letter and legal filing


Haven - Instant Offices

HAVEN




Example 1

Product	Description	Page #
BDP 7242B-H	Bow Front Double Pedestal Desk	12
CDP 7224B-H	Double Pedestal Credenza	23




Example 2

Product	Description	Page #
DP 7236A-H	Double Pedestal Desk	12
CDP 7224A-H	Double Pedestal Credenza	23




Example 3

Product	Description	Page #
DP 7236A-H	Double Pedestal Desk	12
CDP 7224A-H	Double Pedestal Credenza	23
OD 7236-H	Closed Overhead	39




Example 4

Product	Description	Page #
SPR 7236A-H	Single Pedestal Desk - Right	14
BR 4820-H	Bridge	21
CPL 7220A-H	Single Pedestal Credenza - Left	22
OD 7236-H	Closed Overhead	39




Example 5

Product	Description	Page #	List
PLM 7236-H	P-Top with Modesty	38	
BR 4824-H	Bridge	21	
CPR 7224B-H	Single Pedestal Credenza - Right	22	
SW 242465R-H	Box/Box/File		
SW 242465R-H	Storage & Wardrobe Tower	50	
OD 7236-H	Closed Overhead	39	




Example 6

Product	Description	Page #
CDLB 6624-H	Corner Desk Shell Extended Left	34
DB 3624-H	Desk Shell	30
HBF-H	Hanging Pedestal Box/File	47
OD 6636-H	Closed Overhead	39




Example 7

Product	Description	Page #
PRM 7242-H	P-Top with Modesty Panel	38
BR 4220-H	Bridge	21
CPL 7220B-H	Single Pedestal Credenza-Left Box/Box/File	22
OD 7236-H	Closed Overhead T	39




Example 8

Product	Description	Page #
DF 7230-H	D-Top	36
BR 4824-H	Bridge	21
CPL 7224A-H	Single Pedestal Credenza - Left	22
SW 362465-H	Storage & Wardrobe Tower	51
OD 7236-H	Closed Overhead	39



Example 9

Product	Description	Page #
GDBR 7236A-H	Bow Front Reception Desk - Right	26
GRL 4224-H	Reception Return - Left	26



Example 10

Product	Description	Page #
DB 3624-H/NR	Desk Shell Left - Notch Right	30,32
HBF-H	Hanging Pedestal	47
CC 361818-H	Corner Unit	27
DB 3624-H/NL	Desk Shell Right - Notch Left	30,32
HBF-H	Hanging Pedestal	47
OSGC 36-H	Corner Reception Gallery	44
OSG 36-H	Reception Gallery (Qty of 2)	44



VERSATILE



Standard & Bow Front Double Pedestal Desks


Features:

- 1" thick worksurface
- Full height inset back panel (Inset is 2½" for 30" desks, 8¾" for 36" desks and 14¾" for 42" desks)
- Bow Front desk top extends 6" on visitor side
- Desk standard without grommets. See page 55 for field-installed grommet option
- Locking pedestals standard and keyed-alike; full depth drawers maximize storage capacity
- Heavy duty full extension ball bearing drawer slides
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code
- Optional surface-mounted handles available at \$20 each (see page 5)
- 84" desks have centre support panel
- Shipped assembled




HAVEN

DOUBLE PEDESTAL DESK - Pedestal Option A




- 2 box/file pedestals

DOUBLE PEDESTAL DESK - Pedestal Option B



- 2 box/box/file pedestals
- Upper box non-locking

DOUBLE PEDESTAL DESK - Pedestal Option C




- 2 file/file pedestals

DOUBLE PEDESTAL DESK - Pedestal Option F




- 1 box/box/file pedestal - left
- Upper box non-locking
- 1 file/file pedestal - right

DOUBLE PEDESTAL DESK - Pedestal Option G




- 1 file/file pedestal - left
- 1 box/box/file pedestal - right
- Upper box non-locking

DOUBLE PEDESTAL BOW FRONT DESK - Pedestal Option A




- 2 box/file pedestals

DOUBLE PEDESTAL BOW FRONT DESK - Pedestal Option B




- 2 box/box/file pedestals
- Upper box non-locking

DOUBLE PEDESTAL BOW FRONT DESK - Pedestal Option C



- 2 file/file pedestals

DOUBLE PEDESTAL BOW FRONT DESK - Pedestal Option F



- 1 box/box/file pedestal - left
- Upper box non-locking
- 1 file/file pedestal - right

DOUBLE PEDESTAL BOW FRONT DESK - Pedestal Option G



- 1 file/file pedestal - left
- 1 box/box/file pedestal - right
- Upper box non-locking

Product Code	List Price	Dimensions W D H			Wt lbs	Cube ft³
DP 6030A-H		60	30	29	245	32
DP 6630A-H		66	30	29	255	35
DP 7230A-H		72	30	29	265	38
DP 7236A-H		72	36	29	275	45
DP 8436A-H		84	36	29	285	53
DP 6030B-H		60	30	29	305	32
DP 6630B-H		66	30	29	315	35
DP 7230B-H		72	30	29	325	38
DP 7236B-H		72	36	29	335	45
DP 8436B-H		84	36	29	345	53
DP 6030C-H		60	30	29	305	32
DP 6630C-H		66	30	29	315	35
DP 7230C-H		72	30	29	325	38
DP 7236C-H		72	36	29	335	45
DP 8436C-H		84	36	29	345	53
DP 6030F-H		60	30	29	305	32
DP 6630F-H		66	30	29	315	35
DP 7230F-H		72	30	29	325	38
DP 7236F-H		72	36	29	335	45
DP 8436F-H		84	36	29	345	53
DP 6030G-H		60	30	29	305	32
DP 6630G-H		66	30	29	315	35
DP 7230G-H		72	30	29	325	38
DP 7236G-H		72	36	29	335	45
DP 8436G-H		84	36	29	345	53
BDP 6636A-H		66	36	29	260	42
BDP 7242A-H		72	42	29	280	53
BDP 8442A-H		84	42	29	290	62
BDP 6636B-H		66	36	29	320	42
BDP 7242B-H		72	42	29	340	53
BDP 8442B-H		84	42	29	350	62
BDP 6636C-H		66	36	29	320	42
BDP 7242C-H		72	42	29	340	53
BDP 8442C-H		84	42	29	350	62
BDP 6636F-H		66	36	29	320	42
BDP 7242F-H		72	42	29	340	53
BDP 8442F-H		84	42	29	350	62
BDP 6636G-H		66	36	29	320	42
BDP 7242G-H		72	42	29	340	53
BDP 8442G-H		84	42	29	350	62




Standard & Bow Front Single Pedestal Desks - Left

Features:

- 1" thick worksurface
- Full height inset back panel (Inset is 2½" for 30" desks, 8¾" for 36" and 14¾" for 42" desks)
- Bow Front desk top extends 6" on visitor side.
- Desk standard without grommets. See page 55 for field-installed grommet option
- Locking pedestal standard; full depth drawers maximize storage capacity
- Heavy duty full extension ball bearing drawer slides
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code
- Optional surface-mounted handles available at \$20 each (see page 5)
- 84" desks have centre support panel
- Shipped assembled

SINGLE PEDESTAL DESK - LEFT - Pedestal Option A




- Box/file pedestal

SINGLE PEDESTAL DESK - LEFT - Pedestal Option B




- Box/box/file pedestal
- Upper box non-locking

SINGLE PEDESTAL DESK - LEFT - Pedestal Option C



- File/file pedestal

SINGLE PEDESTAL BOW FRONT DESK - LEFT - Pedestal Option A



- Box/file pedestal

SINGLE PEDESTAL BOW FRONT DESK - LEFT - Pedestal Option B



- Box/box/file pedestal
- Upper box non-locking


SINGLE PEDESTAL BOW FRONT DESK - LEFT - Pedestal Option C



- File/file pedestal

OPTIONS

CUTAWAY END PANEL - RIGHT



- Replaces 30" or 36" right end panel
- Add suffix (/CGR) to product code
- Not available for Bow Front Desk

Product Code	List Price	Dimensions W D H			Wt lbs	Cube ft ³
SPL 4830A-H		48	30	29	170	26
SPL 5430A-H		54	30	29	180	29
SPL 6030A-H		60	30	29	190	32
SPL 6630A-H		66	30	29	200	35
SPL 7230A-H		72	30	29	210	38
SPL 7236A-H		72	36	29	220	45
SPL 8436A-H		84	36	29	230	53
SPL 4830B-H		48	30	29	200	26
SPL 5430B-H		54	30	29	210	29
SPL 6030B-H		60	30	29	220	32
SPL 6630B-H		66	30	29	230	35
SPL 7230B-H		72	30	29	240	38
SPL 7236B-H		72	36	29	250	45
SPL 8436B-H		84	36	29	260	53
SPL 4830C-H		48	30	29	200	26
SPL 5430C-H		54	30	29	210	29
SPL 6030C-H		60	30	29	220	32
SPL 6630C-H		66	30	29	230	35
SPL 7230C-H		72	30	29	240	38
SPL 7236C-H		72	36	29	250	45
SPL 8436C-H		84	36	29	260	53
BSPL 6636A-H		66	36	29	205	42
BSPL 7242A-H		72	42	29	225	53
BSPL 8442A-H		84	42	29	235	62
BSPL 6636B-H		66	36	29	235	42
BSPL 7242B-H		72	42	29	255	53
BSPL 8442B-H		84	42	29	265	62
BSPL 6636C-H		66	36	29	235	42
BSPL 7242C-H		72	42	29	255	53
BSPL 8442C-H		84	42	29	265	62
/CGR		n/a	n/a	n/a	n/a	n/a


Standard & Bow Front Single Pedestal Desks - Right

Features:

- 1" thick worksurface
- Full height inset back panel (Inset is 2½" for 30" desks, 8¾" for 36" and 14¾" for 42" desks)
- Bow Front desk top extends 6" on visitor side.
- Desk standard without grommets. See page 55 for field-installed grommet option
- Locking pedestal standard; full depth drawers maximize storage capacity
- Heavy duty full extension ball bearing drawer slides
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code
- Optional surface-mounted handles available at \$20 each (see page 5)
- 84" desks have centre support panel
- Shipped assembled




SINGLE PEDESTAL DESK - RIGHT- Pedestal Option A




- Box/file pedestal

SINGLE PEDESTAL DESK - RIGHT- Pedestal Option B




- Box/box/file pedestal
- Upper box non-locking

SINGLE PEDESTAL DESK - RIGHT- Pedestal Option C




- File/file pedestal

SINGLE PEDESTAL BOW FRONT DESK - RIGHT - Pedestal Option A



- Box/file pedestal

SINGLE PEDESTAL BOW FRONT DESK - RIGHT - Pedestal Option B



- Box/box/file pedestal
- Upper box non-locking


SINGLE PEDESTAL BOW FRONT DESK - RIGHT - Pedestal Option C



- File/file pedestal

OPTIONS

CUTAWAY END PANEL - LEFT



- Replaces 30" or 36" left end panel
- Add suffix (/CGL) to product code
- Not available for Bow Front Desk

Product Code	List Price	Dimensions			Wt lbs	Cube ft³
		W	D	H		
SPR 4830A-H		48	30	29	170	26
SPR 5430A-H		54	30	29	180	29
SPR 6030A-H		60	30	29	190	32
SPR 6630A-H		66	30	29	200	35
SPR 7230A-H		72	30	29	210	38
SPR 7236A-H		72	36	29	220	45
SPR 8436A-H		84	36	29	230	53
SPR 4830B-H		48	30	29	200	26
SPR 5430B-H		54	30	29	210	29
SPR 6030B-H		60	30	29	220	32
SPR 6630B-H		66	30	29	230	35
SPR 7230B-H		72	30	29	240	38
SPR 7236B-H		72	36	29	250	45
SPR 8436B-H		84	36	29	260	53
SPR 4830C-H		48	30	29	200	26
SPR 5430C-H		54	30	29	210	29
SPR 6030C-H		60	30	29	220	32
SPR 6630C-H		66	30	29	230	35
SPR 7230C-H		72	30	29	240	38
SPR 7236C-H		72	36	29	250	45
SPR 8436C-H		84	36	29	260	53
BSPR 6636A-H		66	36	29	205	42
BSPR 7242A-H		72	42	29	225	53
BSPR 8442A-H		84	42	29	235	62
BSPR 6636B-H		66	36	29	235	42
BSPR 7242B-H		72	42	29	255	53
BSPR 8442B-H		84	42	29	265	62
BSPR 6636C-H		66	36	29	235	42
BSPR 7242C-H		72	42	29	255	53
BSPR 8442C-H		84	42	29	265	62
/CGL		n/a	n/a	n/a	n/a	n/a

Executive Corner Desks


Features:

- 1" thick worksurface
- Bow Front desk top extends 6" on visitor side
- Full height back panel, inset 14¼"
- For pedestal options, see page 47
- For return options, see pages 19, 20, 21 and 31


* Optional pedestals not recommended for 6630 desks

* pedestal ordered separately


EXTENDED LEFT - STRAIGHT CUTAWAY




EXTENDED RIGHT - STRAIGHT CUTAWAY



EXTENDED LEFT - CURVED CUTAWAY



EXTENDED RIGHT - CURVED CUTAWAY




Product Code	List Price	Dimensions W ₁ W ₂ D H				Wt lbs	Cube ft ³
ECDS 6620L-H		66	20	48	29	165	9
ECDS 6624L-H		66	24	48	29	165	9
ECDS 6630L-H*		66	30	48	29	165	9
ECDS 7220L-H		72	20	48	29	175	9
ECDS 7224L-H		72	24	48	29	175	9
ECDS 7230L-H		72	30	48	29	175	9
ECDS 7820L-H		78	20	48	29	186	10
ECDS 7824L-H		78	24	48	29	186	10
ECDS 7830L-H		78	30	48	29	186	10
ECDS 6620R-H		66	20	48	29	165	9
ECDS 6624R-H		66	24	48	29	165	9
ECDS 6630R-H*		66	30	48	29	165	9
ECDS 7220R-H		72	20	48	29	175	9
ECDS 7224R-H		72	24	48	29	175	9
ECDS 7230R-H		72	30	48	29	175	9
ECDS 7820R-H		78	20	48	29	186	10
ECDS 7824R-H		78	24	48	29	186	10
ECDS 7830R-H		78	30	48	29	186	10
ECDC 6620L-H		66	20	48	29	165	9
ECDC 6624L-H		66	24	48	29	165	9
ECDC 6630L-H*		66	30	48	29	165	9
ECDC 7220L-H		72	20	48	29	175	9
ECDC 7224L-H		72	24	48	29	175	9
ECDC 7230L-H		72	30	48	29	175	9
ECDC 7820L-H		78	20	48	29	186	10
ECDC 7824L-H		78	24	48	29	186	10
ECDC 7830L-H		78	30	48	29	186	10
ECDC 6620R-H		66	20	48	29	165	9
ECDC 6624R-H		66	24	48	29	165	9
ECDC 6630R-H*		66	30	48	29	165	9
ECDC 7220R-H		72	20	48	29	175	9
ECDC 7224R-H		72	24	48	29	175	9
ECDC 7230R-H		72	30	48	29	175	9
ECDC 7820R-H		78	20	48	29	186	10
ECDC 7824R-H		78	24	48	29	186	10
ECDC 7830R-H		78	30	48	29	186	10

Executive D-Top Corner Desks - 30"


Features:

- 1" thick worksurface
- 6" diameter black post leg standard. For optional silver finish add suffix (/SL) to product code
- Modesty panel 14" high
- For return options see pages 19, 20, 21 and 31


D-TOP LEFT - STRAIGHT CUTAWAY




D-TOP RIGHT - STRAIGHT CUTAWAY



D-TOP LEFT - CURVED CUTAWAY




D-TOP RIGHT - CURVED CUTAWAY



OPTIONS

FULL HEIGHT MODESTY PANEL



- Add suffix (/FMP) to product code

/FMP

n/a 5/8 28

n/a n/a

Product Code	List Price	Dimensions				Wt Cube	
		W ₁	W ₂	D	H	lbs	ft ³
DTCS 663020L-H		66	20	42	29	125	8
DTCS 663024L-H		66	24	42	29	125	8
DTCS 663030L-H		66	30	42	29	125	8
DTCS 723020L-H		72	20	42	29	132	8
DTCS 723024L-H		72	24	42	29	132	8
DTCS 723030L-H		72	30	42	29	132	8
DTCS 783020L-H		78	20	42	29	140	9
DTCS 783024L-H		78	24	42	29	140	9
DTCS 783030L-H		78	30	42	29	140	9
DTCS 663020R-H		66	20	42	29	125	8
DTCS 663024R-H		66	24	42	29	125	8
DTCS 663030R-H		66	30	42	29	125	8
DTCS 723020R-H		72	20	42	29	132	8
DTCS 723024R-H		72	24	42	29	132	8
DTCS 723030R-H		72	30	42	29	132	8
DTCS 783020R-H		78	20	42	29	140	9
DTCS 783024R-H		78	24	42	29	140	9
DTCS 783030R-H		78	30	42	29	140	9
DTCC 663020L-H		66	20	42	29	125	8
DTCC 663024L-H		66	24	42	29	125	8
DTCC 663030L-H		66	30	42	29	125	8
DTCC 723020L-H		72	20	42	29	132	8
DTCC 723024L-H		72	24	42	29	132	8
DTCC 723030L-H		72	30	42	29	132	8
DTCC 783020L-H		78	20	42	29	140	9
DTCC 783024L-H		78	24	42	29	140	9
DTCC 783030L-H		78	30	42	29	140	9
DTCC 663020R-H		66	20	42	29	125	8
DTCC 663024R-H		66	24	42	29	125	8
DTCC 663030R-H		66	30	42	29	125	8
DTCC 723020R-H		72	20	42	29	132	8
DTCC 723024R-H		72	24	42	29	132	8
DTCC 723030R-H		72	30	42	29	132	8
DTCC 783020R-H		78	20	42	29	140	9
DTCC 783024R-H		78	24	42	29	140	9
DTCC 783030R-H		78	30	42	29	140	9


Returns - Left



Features:

- 1" thick worksurface
- One grommet centre rear
- Pedestal standard locking, with heavy duty full extension ball bearing drawer slides
- Back panels have vertical wood grain pattern to match adjacent desk end panel
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code
- Optional surface-mounted handles available at \$20 each (see page 5)
- Optional open back panel available for Pedestal Returns only
- Pedestal returns shipped assembled; Non-ped returns shipped ready-to-assemble

PEDESTAL RETURN LEFT - Pedestal Option A




- Box/file pedestal

PEDESTAL RETURN LEFT - Pedestal Option B



- Box/box/file pedestal
- Upper box non-locking

PEDESTAL RETURN LEFT - Pedestal Option C




- File/file pedestal

20" RETURN LEFT - NO PED



- Can not accommodate
field-installed hanging
and mobile pedestal options

24" RETURN LEFT - NO PED




- Can accommodate
field-installed hanging
and mobile pedestal options

OPTIONS

Note: Do not use this option if return is supporting overhead storage unit

OPEN BACK PED RETURN



- Add suffix (/OB) to product code

Product Code	List Price	Dimensions W D H			Wt lbs	Cube ft ³
RL 3020A-H		30	20	29	98	13
RL 3620A-H		36	20	29	105	15
RL 4220A-H		42	20	29	113	18
RL 4820A-H		48	20	29	120	20
RL 5420A-H		54	20	29	128	23
RL 6020A-H		60	20	29	135	25
RL 3024A-H		30	24	29	103	13
RL 3624A-H		36	24	29	110	15
RL 4224A-H		42	24	29	118	18
RL 4824A-H		48	24	29	125	20
RL 5424A-H		54	24	29	133	23
RL 6024A-H		60	24	29	140	25
RL 3020B-H		30	20	29	128	13
RL 3620B-H		36	20	29	135	15
RL 4220B-H		42	20	29	143	18
RL 4820B-H		48	20	29	150	20
RL 5420B-H		54	20	29	158	23
RL 6020B-H		60	20	29	165	25
RL 3024B-H		30	24	29	133	13
RL 3624B-H		36	24	29	140	15
RL 4224B-H		42	24	29	148	18
RL 4824B-H		48	24	29	155	20
RL 5424B-H		54	24	29	163	23
RL 6024B-H		60	24	29	170	25
RL 3020C-H		30	20	29	128	13
RL 3620C-H		36	20	29	135	15
RL 4220C-H		42	20	29	143	18
RL 4820C-H		48	20	29	150	20
RL 5420C-H		54	20	29	158	23
RL 6020C-H		60	20	29	165	25
RL 3024C-H		30	24	29	133	13
RL 3624C-H		36	24	29	140	15
RL 4224C-H		42	24	29	148	18
RL 4824C-H		48	24	29	155	20
RL 5424C-H		54	24	29	163	23
RL 6024C-H		60	24	29	170	25
FRL 3020-H		30	20	29	68	3
FRL 3620-H		36	20	29	70	3
FRL 4220-H		42	20	29	73	3
FRL 4820-H		48	20	29	75	4
FRL 5420-H		54	20	29	78	4
FRL 6020-H		60	20	29	80	4
FRL 3024-H		30	24	29	68	3
FRL 3624-H		36	24	29	70	3
FRL 4224-H		42	24	29	73	3
FRL 4824-H		48	24	29	75	4
FRL 5424-H		54	24	29	78	4
FRL 6024-H		60	24	29	80	4
/OB			n/a	n/a	n/a	n/a


Returns - Right

Features:

- 1" thick worksurface
- One grommet centre rear
- Pedestal standard locking, with heavy duty full extension ball bearing drawer slides
- Back panels have vertical wood grain pattern to match adjacent desk end panel
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code
- Optional surface-mounted handles available at \$20 each (see page 5)
- Optional open back panel available for Pedestal Returns only
- Pedestal returns shipped assembled; Non-ped returns shipped ready-to-assemble




PEDESTAL RETURN RIGHT - Pedestal Option A




- Box/file pedestal

PEDESTAL RETURN RIGHT - Pedestal Option B




- Box/box/file pedestal
- Upper box non-locking

PEDESTAL RETURN RIGHT - Pedestal Option C




- File/file pedestal

20" RETURN RIGHT - NO PED



- Can not accommodate field-installed hanging and mobile pedestal options

24" RETURN RIGHT - NO PED




- Can accommodate field-installed hanging and mobile pedestal options

Product Code	List Price	Dimensions W D H	Wt lbs	Cube ft'
RR 3020A-H		30 20 29	98	13
RR 3620A-H		36 20 29	105	15
RR 4220A-H		42 20 29	113	18
RR 4820A-H		48 20 29	120	20
RR 5420A-H		54 20 29	128	23
RR 6020A-H		60 20 29	135	25
RR 3024A-H		30 24 29	103	13
RR 3624A-H		36 24 29	110	15
RR 4224A-H		42 24 29	118	18
RR 4824A-H		48 24 29	125	20
RR 5424A-H		54 24 29	133	23
RR 6024A-H		60 24 29	140	25
RR 3020B-H		30 20 29	128	13
RR 3620B-H		36 20 29	135	15
RR 4220B-H		42 20 29	143	18
RR 4820B-H		48 20 29	150	20
RR 5420B-H		54 20 29	158	23
RR 6020B-H		60 20 29	165	25
RR 3024B-H		30 24 29	133	13
RR 3624B-H		36 24 29	140	15
RR 4224B-H		42 24 29	148	18
RR 4824B-H		48 24 29	155	20
RR 5424B-H		54 24 29	163	23
RR 6024B-H		60 24 29	170	25
RR 3020C-H		30 20 29	128	13
RR 3620C-H		36 20 29	135	15
RR 4220C-H		42 20 29	143	18
RR 4820C-H		48 20 29	150	20
RR 5420C-H		54 20 29	158	23
RR 6020C-H		60 20 29	165	25
RR 3024C-H		30 24 29	133	13
RR 3624C-H		36 24 29	140	15
RR 4224C-H		42 24 29	148	18
RR 4824C-H		48 24 29	155	20
RR 5424C-H		54 24 29	163	23
RR 6024C-H		60 24 29	170	25
FRR 3020-H		30 20 29	68	3
FRR 3620-H		36 20 29	70	3
FRR 4220-H		42 20 29	73	3
FRR 4820-H		48 20 29	75	4
FRR 5420-H		54 20 29	78	4
FRR 6020-H		60 20 29	80	4
FRR 3024-H		30 24 29	68	3
FRR 3624-H		36 24 29	70	3
FRR 4224-H		42 24 29	73	3
FRR 4824-H		48 24 29	75	4
FRR 5424-H		54 24 29	78	4
FRR 6024-H		60 24 29	80	4

OPTIONS

Note: Do not use this option if return is supporting overhead storage unit

OPEN BACK PED RETURN



- Add suffix (/OB) to product code

/OB

n/a n/a n/a


n/a n/a

Returns - Aluminum Legs and Acrylic Panels; Bridges

Features:


- 1" thick worksurface
- Return standard without grommet. See page 55 for field-installed grommet option
- Aluminum legs with clear anodized finish and wire management capabilities
- For horizontal wire management see page 55

RETURN WITH ALUMINUM LEGS




- Non-handed
- Standard with 2 support legs
- Optional acrylic end panels

RETURN WITH ALUMINUM LEGS, ACRYLIC END PANEL & MODESTY PANEL




- Non-handed
- Standard with 3 support legs, 1 acrylic end panel and modesty panel
- Optional add-on acrylic end panel (order separately - see below)

ADD-ON ACRYLIC END PANEL




- Use to add an end panel to RAL return
- Use to create a double end panel on an RAL-EM return

ADD-ON ACRYLIC MODESTY PANEL




- Not to be used with RAL-EM returns
- Includes the 3rd support leg

20" BRIDGE



- Back panel has vertical grain direction

24" BRIDGE



- Back panel has vertical grain direction

OPTIONS Note: Do not use this option if return is supporting overhead storage unit

¾ HEIGHT BACK PANEL



- Add suffix (/ 3Q) to product code
- Provides 8" clearance above the floor

½ HEIGHT BACK PANEL



- Add suffix (/ 2Q) to product code
- Provides 14" clearance above the floor

Product Code	List Price	Dimensions W D H			Wt lbs	Cube ft³
RAL 4224-H		42	24	29	33	4
RAL 4824-H		48	24	29	36	4
RAL 5424-H		54	24	29	40	4
RAL 6024-H		60	24	29	43	5
RAL 4230-H		42	30	29	39	4
RAL 4830-H		48	30	29	43	5
RAL 5430-H		54	30	29	47	5
RAL 6030-H		60	30	29	52	5
RAL 4224EM-H		42	24	29	33	4
RAL 4824EM-H		48	24	29	36	4
RAL 5424EM-H		54	24	29	40	4
RAL 6024EM-H		60	24	29	43	5
RAL 4230EM-H		42	30	29	39	4
RAL 4830EM-H		48	30	29	43	5
RAL 5430EM-H		54	30	29	47	5
RAL 6030EM-H		60	30	29	52	5
AEP 24		16	1/4	10	1	1
AEP 30		22	1/4	10	1	1
AMPL 42		34	1/4	10	3	1
AMPL 48		40	1/4	10	4	1
AMPL 54		46	1/4	10	4	1
AMPL 60		52	1/4	10	5	1
AMPL 66		58	1/4	10	5	1
AMPL 72		64	1/4	10	6	1
BR 3020-H		30	20	29	60	2
BR 3620-H		36	20	29	62	2
BR 4220-H		42	20	29	65	2
BR 4820-H		48	20	29	67	3
BR 5420-H		54	20	29	70	3
BR 6020-H		60	20	29	72	4
BR 3024-H		30	24	29	60	2
BR 3624-H		36	24	29	62	2
BR 4224-H		42	24	29	65	2
BR 4824-H		48	24	29	67	3
BR 5424-H		54	24	29	70	3
BR 6024-H		60	24	29	72	4
/ 3Q		n/a	5/8	20	-3	n/a
/ 2Q		n/a	5/8	14	-5	n/a


Single Pedestal Credenzas - Left and Right

Features:

- 1" thick worksurface
- Full height back panel
- Credenzas standard without grommets. See page 55 for field-installed grommet option
- Locking pedestal standard
- Heavy duty full extension ball bearing drawer slides
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code
- Optional surface-mounted handles available at \$20 each (see page 5)
- Shipped assembled




SINGLE PEDESTAL CREDENZA - LEFT - Pedestal Option A




- Box/file pedestal

SINGLE PEDESTAL CREDENZA - LEFT - Pedestal Option B




- Box/box/file pedestal
- Upper box non-locking

SINGLE PEDESTAL CREDENZA - LEFT - Pedestal Option C




- File/file pedestal

SINGLE PEDESTAL CREDENZA - RIGHT - Pedestal Option A




- Box/file pedestal

SINGLE PEDESTAL CREDENZA - RIGHT - Pedestal Option B



- Box/box/file pedestal
- Upper box non-locking

SINGLE PEDESTAL CREDENZA - RIGHT - Pedestal Option C




- File/file pedestal

Product Code	List Price	Dimensions			Wt lbs	Cube ft ³
		W	D	H		
CPL 6020A-H		60	20	29	160	22
CPL 6620A-H		66	20	29	165	24
CPL 7220A-H		72	20	29	175	26
CPL 6024A-H		60	24	29	165	25
CPL 6624A-H		66	24	29	170	27
CPL 7224A-H		72	24	29	180	30
CPL 6020B-H		60	20	29	190	22
CPL 6620B-H		66	20	29	195	24
CPL 7220B-H		72	20	29	205	26
CPL 6024B-H		60	24	29	195	25
CPL 6624B-H		66	24	29	200	27
CPL 7224B-H		72	24	29	210	30
CPL 6020C-H		60	20	29	190	22
CPL 6620C-H		66	20	29	195	24
CPL 7220C-H		72	20	29	205	26
CPL 6024C-H		60	24	29	195	25
CPL 6624C-H		66	24	29	200	27
CPL 7224C-H		72	24	29	210	30
CPR 6020A-H		60	20	29	160	22
CPR 6620A-H		66	20	29	165	24
CPR 7220A-H		72	20	29	175	26
CPR 6024A-H		60	24	29	165	25
CPR 6624A-H		66	24	29	170	27
CPR 7224A-H		72	24	29	180	30
CPR 6020B-H		60	20	29	190	22
CPR 6620B-H		66	20	29	195	24
CPR 7220B-H		72	20	29	205	26
CPR 6024B-H		60	24	29	195	25
CPR 6624B-H		66	24	29	200	27
CPR 7224B-H		72	24	29	210	30
CPR 6020C-H		60	20	29	190	22
CPR 6620C-H		66	20	29	195	24
CPR 7220C-H		72	20	29	205	26
CPR 6024C-H		60	24	29	195	25
CPR 6624C-H		66	24	29	200	27
CPR 7224C-H		72	24	29	210	30

OPTIONS

CUTAWAY END PANEL - RIGHT




- Replaces 20" or 24" right end panel on CPL
- Add suffix (/CGR) to product code

/CGR

n/a n/a n/a

n/a n/a

CUTAWAY END PANEL - LEFT



- Replaces 20" or 24" left end panel on CPR
- Add suffix (/CGL) to product code

/CGL

n/a n/a n/a

n/a n/a




Double Pedestal Credenzas

Features:


- 1" thick worksurface
- Full height back panel
- Credenza standard without grommets. See page 55 for field-installed grommet option
- Locking pedestals standard and keyed-alike
- Heavy duty full extension ball bearing drawer slides
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code
- Optional surface-mounted handles available at \$20 each (see page 5)
- Shipped assembled

DOUBLE PEDESTAL CREDENZA - Pedestal Option A




- 2 box/file pedestals

DOUBLE PEDESTAL CREDENZA - Pedestal Option B




- 2 box/box/file pedestals
- Upper box non-locking

DOUBLE PEDESTAL CREDENZA - Pedestal Option C




- 2 file/file pedestals

DOUBLE PEDESTAL CREDENZA - Pedestal Option F



- 1 box/box/file pedestal - left
- Upper box non-locking
- 1 file/file pedestal - right

DOUBLE PEDESTAL CREDENZA - Pedestal Option G



- 1 file/file pedestal - left
- 1 box/box/file pedestal - right
- Upper box non-locking

Product Code	List Price	Dimensions W D H			Wt lbs	Cube ft ³
CDP 6020A-H		60	20	29	215	22
CDP 6620A-H		66	20	29	220	24
CDP 7220A-H		72	20	29	230	26
CDP 6024A-H		60	24	29	220	25
CDP 6624A-H		66	24	29	225	27
CDP 7224A-H		72	24	29	235	30
CDP 6020B-H		60	20	29	275	22
CDP 6620B-H		66	20	29	280	24
CDP 7220B-H		72	20	29	290	26
CDP 6024B-H		60	24	29	280	25
CDP 6624B-H		66	24	29	285	27
CDP 7224B-H		72	24	29	295	30
CDP 6020C-H		60	20	29	275	22
CDP 6620C-H		66	20	29	280	24
CDP 7220C-H		72	20	29	290	26
CDP 6024C-H		60	24	29	280	25
CDP 6624C-H		66	24	29	285	27
CDP 7224C-H		72	24	29	295	30
CDP 6020F-H		60	20	29	275	22
CDP 6620F-H		66	20	29	280	24
CDP 7220F-H		72	20	29	290	26
CDP 6024F-H		60	24	29	280	25
CDP 6624F-H		66	24	29	285	27
CDP 7224F-H		72	24	29	295	30
CDP 6020G-H		60	20	29	275	22
CDP 6620G-H		66	20	29	280	24
CDP 7220G-H		72	20	29	290	26
CDP 6024G-H		60	24	29	280	25
CDP 6624G-H		66	24	29	285	27
CDP 7224G-H		72	24	29	295	30

Storage & Lateral File Credenzas


Features:

- 1" thick worksurface
- Full height back panel
- Credenza standard without grommets. See page 55 for field-installed grommet option
- All credenza drawers & doors standard locking and keyed-alike
- Heavy duty full extension ball bearing drawer slides
- Pedestals and lateral files accommodate both letter and legal filing
- "Front-to-back filing" hardware available no charge for lateral files. See page 48
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code
- Optional surface-mounted handles available at \$20 each (see page 5)
- Shipped assembled




HAVEN

CREENZA - CENTRE STORAGE & DOUBLE BOX/FILE PEDESTAL




- 2 box/file pedestals
- Centre storage cabinet
- 3 locks keyed alike

CREENZA - CENTRE STORAGE & DOUBLE BOX/BOX/FILE PEDESTAL



- 2 box/box/file pedestals
- Upper box non-locking
- Centre storage cabinet
- 3 locks keyed alike

CREENZA - CENTRE STORAGE & DOUBLE FILE/FILE PEDESTAL




- 2 file/file pedestals
- Centre storage cabinet
- 3 locks keyed alike

CREENZA - LATERAL FILE LEFT




- 36" wide lateral file

CREENZA - LATERAL FILE RIGHT




- 36" wide lateral file

CREENZA - DOUBLE LATERAL FILE




- 30" wide lateral files on 60" credenza
- 36" wide lateral files on 72" credenza

CREENZA - LATERAL FILE LEFT & STORAGE RIGHT




- 36" wide lateral file
- 1 adjustable shelf in storage cabinet

CREENZA - STORAGE LEFT & LATERAL FILE RIGHT



- 36" wide lateral file
- 1 adjustable shelf in storage cabinet


CREENZA - DOUBLE STORAGE



- 1 adjustable shelf left and right


OPTIONS

CUTAWAY END PANEL - RIGHT



- Replaces 20" or 24" right end panel on CFL
- Add suffix (/CGR) to product code

CUTAWAY END PANEL - LEFT



- Replaces 20" or 24" left end panel on CFR
- Add suffix (/CGL) to product code

Product Code	List Price	Dimensions W D H			Wt lbs	Cube ft ³
CZ 6020A-H		60	20	29	210	22
CZ 6620A-H		66	20	29	220	24
CZ 7220A-H		72	20	29	230	26
CZ 6024A-H		60	24	29	230	25
CZ 6624A-H		66	24	29	240	27
CZ 7224A-H		72	24	29	250	30
CZ 6020B-H		60	20	29	270	22
CZ 6620B-H		66	20	29	280	24
CZ 7220B-H		72	20	29	290	26
CZ 6024B-H		60	24	29	290	25
CZ 6624B-H		66	24	29	300	27
CZ 7224B-H		72	24	29	310	30
CZ 6020C-H		60	20	29	270	22
CZ 6620C-H		66	20	29	280	24
CZ 7220C-H		72	20	29	290	26
CZ 6024C-H		60	24	29	290	25
CZ 6624C-H		66	24	29	300	27
CZ 7224C-H		72	24	29	310	30
CFL 6020-H		60	20	29	160	22
CFL 6620-H		66	20	29	170	24
CFL 7220-H		72	20	29	180	26
CFL 6024-H		60	24	29	180	25
CFL 6624-H		66	24	29	190	27
CFL 7224-H		72	24	29	200	30
CFR 6020-H		60	20	29	160	22
CFR 6620-H		66	20	29	170	24
CFR 7220-H		72	20	29	180	26
CFR 6024-H		60	24	29	180	25
CFR 6624-H		66	24	29	190	27
CFR 7224-H		72	24	29	200	30
CFF 6020-H		60	20	29	240	22
CFF 7220-H		72	20	29	260	26
CFF 6024-H		60	24	29	260	25
CFF 7224-H		72	24	29	280	30
CFS 6620-H		66	20	29	240	24
CFS 7220-H		72	20	29	250	26
CFS 6624-H		66	24	29	260	27
CFS 7224-H		72	24	29	270	30
CSF 6620-H		66	20	29	240	24
CSF 7220-H		72	20	29	250	26
CSF 6624-H		66	24	29	260	27
CSF 7224-H		72	24	29	270	30
CSS 6620-H		66	20	29	230	24
CSS 7220-H		72	20	29	240	26
CSS 6624-H		66	24	29	250	27
CSS 7224-H		72	24	29	260	30
/CGR		n/a	n/a	n/a	n/a	n/a
/CGL		n/a	n/a	n/a	n/a	n/a



PROFESSIONAL



Reception Workstations


Features:

- 1" thick work surface
- Desk 30" deep with full height back panel & 2 grommets
- Return 24" deep with 1 grommet centre rear
- Transaction top 12" deep
- Bow Front transaction top 18" deep, with 6" overhang
- 14" clearance above desktop
- Locking pedestal standard
- Heavy duty full extension ball bearing drawer slides
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code
- Optional surface-mounted handles available at \$20 each (see page 5)
- Shipped assembled - except where noted*



HAVEN

RECEPTION DESK - Pedestal Option A



- Box/file pedestal

RECEPTION DESK - Pedestal Option B



- Box/box/file pedestal
- Upper box non-locking

RECEPTION DESK - Pedestal Option C



- File/file pedestal

BOW FRONT RECEPTION DESK - Pedestal Option A



- Box/file pedestal

BOW FRONT RECEPTION DESK - Pedestal Option B



- Box/box/file pedestal
- Upper box non-locking

BOW FRONT RECEPTION DESK - Pedestal Option C



- File/file pedestal

RECEPTION RETURN - Pedestal Option A



- Box/file pedestal

RECEPTION RETURN - Pedestal Option B



- Box/box/file pedestal
- Upper box non-locking

RECEPTION RETURN - Pedestal Option C




- File/file pedestal

RECEPTION RETURN - No Pedestal



* Shipped ready-to-assemble

RECEPTION RETURN - TRANSACTION TOP



- Field installation with brackets
- Lines up with desk transaction top
- Use with left or right returns

Product Code		List Price	Dimensions W D H			Wt lbs	Cube ft ³
Left	GDL 6630A-H		66	30	44	250	55
	GDL 7230A-H		72	30	44	260	60
	GDR 6630A-H		66	30	44	250	55
	GDR 7230A-H		72	30	44	260	60
Right	GDL 6630B-H		66	30	44	280	55
	GDL 7230B-H		72	30	44	290	60
	GDR 6630B-H		66	30	44	280	55
	GDR 7230B-H		72	30	44	290	60
Left	GDL 6630C-H		66	30	44	280	55
	GDL 7230C-H		72	30	44	290	60
	GDR 6630C-H		66	30	44	280	55
	GDR 7230C-H		72	30	44	290	60
Right	GDL 6630C-H		66	30	44	280	55
	GDL 7230C-H		72	30	44	290	60
	GDR 6630C-H		66	30	44	280	55
	GDR 7230C-H		72	30	44	290	60
Left	GDBL 6636A-H		66	36	44	260	55
	GDBL 7236A-H		72	36	44	270	60
	GDBR 6636A-H		66	36	44	260	55
	GDBR 7236A-H		72	36	44	270	60
Right	GDBL 6636B-H		66	36	44	290	55
	GDBL 7236B-H		72	36	44	300	60
	GDBR 6636B-H		66	36	44	290	55
	GDBR 7236B-H		72	36	44	300	60
Left	GDBL 6636C-H		66	36	44	290	55
	GDBL 7236C-H		72	36	44	300	60
	GDBR 6636C-H		66	36	44	290	55
	GDBR 7236C-H		72	36	44	300	60
Right	GDBL 6636C-H		66	36	44	290	55
	GDBL 7236C-H		72	36	44	300	60
	GDBR 6636C-H		66	36	44	290	55
	GDBR 7236C-H		72	36	44	300	60
Left	GRL 4224A-H		42	24	43	130	27
	GRL 4824A-H		48	24	43	135	30
	GRR 4224A-H		42	24	43	130	27
	GRR 4824A-H		48	24	43	135	30
Right	GRL 4224B-H		42	24	43	160	27
	GRL 4824B-H		48	24	43	165	30
	GRR 4224B-H		42	24	43	160	27
	GRR 4824B-H		48	24	43	165	30
Left	GRL 4224C-H		42	24	43	160	27
	GRL 4824C-H		48	24	43	165	30
	GRR 4224C-H		42	24	43	160	27
	GRR 4824C-H		48	24	43	165	30
Right	GRL 4224C-H		42	24	43	160	27
	GRL 4824C-H		48	24	43	165	30
	GRR 4224C-H		42	24	43	160	27
	GRR 4824C-H		48	24	43	165	30
Left	GRL 4224-H		42	24	43	85	4
	GRL 4824-H		48	24	43	90	4
	GRR 4224-H		42	24	43	85	4
	GRR 4824-H		48	24	43	90	4
	GRTT 42-H		60	12	1	15	1
	GRTT 48-H		66	12	1	17	1

Corner Units

Features:


- 1" thick work surface
- Black corner post leg standard. For optional silver finish add suffix (/SL) to product code
- Back panels standard full height with horizontal wood grain pattern
- Optional partial height back panels available (see below)
- Left and right recessed end panels standard
- For keyboard options see page 55

STRAIGHT CORNER



Keyboard Option:

- AKS 22
- AKS 30
- ARK
- DARK




CURVILINEAR CORNER



★ = Not intended for keyboard tray

Keyboard Option:

- ARK
- DARK




OPTIONS

PARTIAL HEIGHT BACK PANELS

- Choose suffix below to match back panel preference
- Add suffix to "CDL" or "CDR" product code

Corner Units:



(3/4 Height Suffix)

/ 3Q

/ 3QL

/ 3QR

(1/2 Height Suffix)

/ 2Q

/ 2QL

/ 2QR

/ 3Q
/ 3QL
/ 3QR
/ 2Q
/ 2QL
/ 2QR

n/a n/a n/a

-5 n/a

NO-GROMMET OPTION

- Add suffix (/NGR) to product code

/NGR

n/a n/a n/a


n/a n/a

Specifying Guide - Using Keyboards, Corner Units & Desk Shell Notches


Reference Pages:

- 1" thick worksurface
- Keyboard options - see page 55
- Corner units - see page 27
- Desk shells - see pages 29, 30 and 31
- Optional desk shell notches - see page 32


STRAIGHT CORNERS 36" x 36"



STRAIGHT CORNERS 42" x 42" and 48" x 48"



CURVILINEAR CORNERS




Desk Shells - 20"



Features:


- 1" thick worksurface
- Back panel standard full height with horizontal wood grain pattern
- Optional partial height back panel available (see below)
- Desk shelf available (see page 55)
- Recessed centre support panel included with desk shells 78" or wider
- No-grommet option recommended on 84"w and 96"w desk shells with two 42"w or 48"w overheads meeting in the middle

20" DESK SHELL



- 2 full end panels


20" DESK SHELL - RIGHT or LEFT



RIGHT


- 1 recessed and 1 full end panel

- May be assembled right hand or left hand by reversing end panels



LEFT

20" DESK SHELL BRIDGE



- 2 recessed end panels

OPTIONS

3/4 HEIGHT BACK PANEL



- Add suffix (/ 3Q) to product code
- Provides 8" clearance above the floor

1/2 HEIGHT BACK PANEL



- Add suffix (/ 2Q) to product code
- Provides 14" clearance above the floor

NO-GROMMET OPTION

- Add suffix (/NGR) to product code

Product Code	List Price	Dimensions W D H	Wt lbs	Cube ft
DA 2420-H		24 20 29	63	3
DA 3020-H		30 20 29	68	3
DA 3620-H		36 20 29	72	3
DA 4220-H		42 20 29	77	4
DA 4820-H		48 20 29	86	4
DA 5420-H		54 20 29	91	5
DA 6020-H		60 20 29	100	5
DA 6620-H		66 20 29	105	6
DA 7220-H		72 20 29	109	6
DA 7820-H		78 20 29	114	7
DA 8420-H		84 20 29	118	7
DA 9620-H		96 20 29	122	7
DB 2420-H		24 20 29	58	3
DB 3020-H		30 20 29	63	3
DB 3620-H		36 20 29	67	3
DB 4220-H		42 20 29	72	4
DB 4820-H		48 20 29	81	4
DB 5420-H		54 20 29	86	5
DB 6020-H		60 20 29	95	5
DB 6620-H		66 20 29	100	6
DB 7220-H		72 20 29	104	6
DB 7820-H		78 20 29	109	7
DB 8420-H		84 20 29	113	7
DB 9620-H		96 20 29	117	7
DC 2420-H		24 20 29	58	3
DC 3020-H		30 20 29	63	3
DC 3620-H		36 20 29	67	3
DC 4220-H		42 20 29	72	4
DC 4820-H		48 20 29	81	4
DC 5420-H		54 20 29	86	5
DC 6020-H		60 20 29	95	5
DC 6620-H		66 20 29	100	6
DC 7220-H		72 20 29	104	6
DC 7820-H		78 20 29	109	7
DC 8420-H		84 20 29	113	7
DC 9620-H		96 20 29	117	7
/ 3Q		n/a 5/8 20	-3	n/a
/ 2Q		n/a 5/8 14	-5	n/a
/NGR		n/a n/a n/a	n/a	n/a

HAVEN

- 1" thick worksurface
- Back panel standard full height with horizontal wood grain pattern
- Optional partial height back panel available (see below)
- Desk shelf available (see page 55)
- Transition notches available (see page 32)
- Recessed centre support panel included with desk shells 78" or wider
- No-grommet option recommended on 84"w and 96"w desk shells with two 42"w or 48"w overheads meeting in the middle


- 2 full end panels

RIGHT

RIGHT

- 1 recessed and 1 full end panel


- May be assembled right hand or left hand by reversing end panels



LEFT

- 2 recessed end panels

3/4 HEIGHT BACK PANEL



- Add suffix (/ 3Q) to product code
- Provides 8" clearance above the floor

A 3D diagram of a rectangular prism. The front face is shaded gray. The top and right faces are white. Dashed lines indicate the hidden edges of the prism.

- Add suffix (/ 2Q) to product code
- Provides 14" clearance above the floor

- Add suffix (/NGR) to product code

Product Code	List Price	Dimensions			Wt	Cube
		W	D	H	lbs	ft³
DA 2424-H		24	24	29	70	3
DA 3024-H		30	24	29	75	3
DA 3624-H		36	24	29	80	3
DA 4224-H		42	24	29	85	4
DA 4824-H		48	24	29	95	4
DA 5424-H		54	24	29	100	5
DA 6024-H		60	24	29	110	5
DA 6624-H		66	24	29	115	6
DA 7224-H		72	24	29	120	6
DA 7824-H		78	24	29	125	7
DA 8424-H		84	24	29	130	7
DA 9624-H		96	24	29	135	7
DB 2424-H		24	24	29	65	3
DB 3024-H		30	24	29	70	3
DB 3624-H		36	24	29	75	3
DB 4224-H		42	24	29	80	4
DB 4824-H		48	24	29	90	4
DB 5424-H		54	24	29	95	5
DB 6024-H		60	24	29	105	5
DB 6624-H		66	24	29	110	6
DB 7224-H		72	24	29	115	6
DB 7824-H		78	24	29	120	7
DB 8424-H		84	24	29	125	7
DB 9624-H		96	24	29	130	7
DC 2424-H		24	24	29	65	3
DC 3024-H		30	24	29	70	3
DC 3624-H		36	24	29	75	3
DC 4224-H		42	24	29	80	4
DC 4824-H		48	24	29	90	4
DC 5424-H		54	24	29	95	5
DC 6024-H		60	24	29	105	5
DC 6624-H		66	24	29	110	6
DC 7224-H		72	24	29	115	6
DC 7824-H		78	24	29	120	7
DC 8424-H		84	24	29	125	7
DC 9624-H		96	24	29	130	7
/ 3Q		n/a	5/8	20	-3	n/a
/ 2Q		n/a	5/8	14	-5	n/a
/NGR		n/a	n/a	n/a	n/a	n/a


Desk Shells - 30"



Features:


- ❑ 1" thick worksurface
- ❑ Back panel standard full height with horizontal wood grain pattern
- ❑ Optional partial height back panel available (see below)
- ❑ Desk shelf available (see page 55)
- ❑ Transition notches available (see page 32)
- ❑ Recessed centre support panel included with desk shells 78" or wider
- ❑ No-grommet option recommended on 84"w and 96"w desk shells with two 42"w or 48"w overheads meeting in the middle

30" DESK SHELL



- 2 full end panels


30" DESK SHELL - RIGHT or LEFT



RIGHT


- 1 recessed and 1 full end panel

- May be assembled right hand or left hand by reversing end panels



LEFT


30" DESK SHELL BRIDGE



- 2 recessed end panels


OPTIONS

3/4 HEIGHT BACK PANEL



- Add suffix (/ 3Q) to product code
- Provides 8" clearance above the floor

1/2 HEIGHT BACK PANEL



- Add suffix (/ 2Q) to product code
- Provides 14" clearance above the floor

NO-GROMMET OPTION

- Add suffix (/NGR) to product code

Product Code	List Price	Dimensions W D H	Wt lbs	Cube ft³
DA 2430-H		24 30 29	80	3
DA 3030-H		30 30 29	87	4
DA 3630-H		36 30 29	95	4
DA 4230-H		42 30 29	102	5
DA 4830-H		48 30 29	110	5
DA 5430-H		54 30 29	117	6
DA 6030-H		60 30 29	125	6
DA 6630-H		66 30 29	132	7
DA 7230-H		72 30 29	140	8
DA 7830-H		78 30 29	150	8
DA 8430-H		84 30 29	157	9
DA 9630-H		96 30 29	164	9
DB 2430-H		24 30 29	75	3
DB 3030-H		30 30 29	82	4
DB 3630-H		36 30 29	90	4
DB 4230-H		42 30 29	97	5
DB 4830-H		48 30 29	105	5
DB 5430-H		54 30 29	112	6
DB 6030-H		60 30 29	120	6
DB 6630-H		66 30 29	127	7
DB 7230-H		72 30 29	135	8
DB 7830-H		78 30 29	145	8
DB 8430-H		84 30 29	152	9
DB 9630-H		96 30 29	159	9
DC 2430-H		24 30 29	75	3
DC 3030-H		30 30 29	82	4
DC 3630-H		36 30 29	90	4
DC 4230-H		42 30 29	97	5
DC 4830-H		48 30 29	105	5
DC 5430-H		54 30 29	112	6
DC 6030-H		60 30 29	120	6
DC 6630-H		66 30 29	127	7
DC 7230-H		72 30 29	135	8
DC 7830-H		78 30 29	145	8
DC 8430-H		84 30 29	152	9
DC 9630-H		96 30 29	159	9
/ 3Q		n/a 5/8 20	-3	n/a
/ 2Q		n/a 5/8 14	-5	n/a
/NGR		n/a n/a n/a	n/a	n/a

Desk Shells - Inset Back Panel

Features:


- 1" thick workspace
- Full height inset back panel standard; with horizontal wood grain pattern
- Back inset 6" for 30" desks, 12" for 36" desks
- Standard without grommets. See page 55 for field-installed grommet option
- Recessed centre support panel included with desk shells 78" or wider

Optional Desk Shell Notches

Features:


- Notches enable transition from 30" deep surface to adjacent 24" deep surface, or transition from 24" deep surface to adjacent 18" deep surface
- Notches are not available for 20" deep desk shells and inset back panel desk shells
- For transition notch applications see page 32

DESK SHELL - INSET BACK PANEL



- 2 full end panels


DESK SHELL - RIGHT or LEFT - INSET BACK PANEL



RIGHT

- 1 recessed and 1 full end panel

- May be assembled right hand or left hand by reversing end panels




LEFT

Product Code	List Price	Dimensions W D H			Wt lbs	Cube ft ³
DAI 2430-H		24	30	29	80	3
DAI 3030-H		30	30	29	87	4
DAI 3630-H		36	30	29	95	4
DAI 4230-H		42	30	29	102	5
DAI 4830-H		48	30	29	110	5
DAI 5430-H		54	30	29	117	6
DAI 6030-H		60	30	29	125	6
DAI 6630-H		66	30	29	132	7
DAI 7230-H		72	30	29	140	8
DAI 7830-H		78	30	29	150	8
DAI 8430-H		84	30	29	157	9
DAI 9630-H		96	30	29	164	9
DAI 6036-H		60	36	29	135	9
DAI 6636-H		66	36	29	142	10
DAI 7236-H		72	36	29	150	11
DBI 2430-H		24	30	29	75	3
DBI 3030-H		30	30	29	82	4
DBI 3630-H		36	30	29	90	4
DBI 4230-H		42	30	29	97	5
DBI 4830-H		48	30	29	105	5
DBI 5430-H		54	30	29	112	6
DBI 6030-H		60	30	29	120	6
DBI 6630-H		66	30	29	127	7
DBI 7230-H		72	30	29	135	8
DBI 7830-H		78	30	29	145	8
DBI 8430-H		84	30	29	152	9
DBI 9630-H		96	30	29	159	9
DBI 6036-H		60	36	29	130	9
DBI 6636-H		66	36	29	137	10
DBI 7236-H		72	36	29	145	11
/ CNR		n/a	n/a	n/a	n/a	n/a
/ NR		n/a	n/a	n/a	n/a	n/a
/ ENR		n/a	n/a	n/a	n/a	n/a
/ CNL		n/a	n/a	n/a	n/a	n/a
/ NL		n/a	n/a	n/a	n/a	n/a
/ ENL		n/a	n/a	n/a	n/a	n/a

OPTIONAL DESK SHELL NOTCHES


TRANSITION NOTCH RIGHT - DESK SHELL LEFT



- Curvilinear
- Straight
- Extended

- Add suffix to desk shell product code
- When adding a pedestal, refer to notch dimensions below

TRANSITION NOTCH LEFT - DESK SHELL RIGHT




- Curvilinear
- Straight
- Extended

- Add suffix to desk shell product code
- When adding a pedestal, refer to notch dimensions below

SPECIFICATIONS

Diagrams show Right Hand notches. Left Hand are opposite.









FLEXIBLE



Extended Corner Desk Shells

Features:

- 1" thick worksurface
- Black corner post leg standard. For optional silver finish add suffix (/SL) to product code
- Back panels standard full height with horizontal wood grain pattern
- Optional partial height back panel available (see page 35)
- Optional curved cutaway in worksurface (see page 35)
- 6024 desk shells do not accommodate optional pedestal

	Product Code	List Price	Dimensions W D H	Wt lbs	Cube ft ³
20" - 20" CORNER DESK SHELL - EXTENDED LEFT  2 full end panels 1 full end panel and 1 recessed end panel - interchangeable 2 recessed end panels	CDLA 6020-H		60 36 29	115	5
	CDLA 6620-H		66 36 29	125	6
	CDLA 7220-H		72 36 29	135	7
	CDLB 6020-H		60 36 29	115	5
	CDLB 6620-H		66 36 29	125	6
	CDLB 7220-H		72 36 29	135	7
	CDLC 6020-H		60 36 29	115	5
	CDLC 6620-H		66 36 29	125	6
	CDLC 7220-H		72 36 29	135	7
20" - 20" CORNER DESK SHELL - EXTENDED RIGHT  2 full end panels 1 full end panel and 1 recessed end panel - interchangeable 2 recessed end panels	CDRA 6020-H		60 36 29	115	5
	CDRA 6620-H		66 36 29	125	6
	CDRA 7220-H		72 36 29	135	7
	CDRB 6020-H		60 36 29	115	5
	CDRB 6620-H		66 36 29	125	6
	CDRB 7220-H		72 36 29	135	7
	CDRC 6020-H		60 36 29	115	5
	CDRC 6620-H		66 36 29	125	6
	CDRC 7220-H		72 36 29	135	7
24" - 24" CORNER DESK SHELL - EXTENDED LEFT  2 full end panels 1 full end panel and 1 recessed end panel - interchangeable 2 recessed end panels	CDLA 6024-H		60 36 29	115	5
	CDLA 6624-H		66 36 29	125	6
	CDLA 7224-H		72 36 29	135	7
	CDLB 6024-H		60 36 29	115	5
	CDLB 6624-H		66 36 29	125	6
	CDLB 7224-H		72 36 29	135	7
	CDLC 6024-H		60 36 29	115	5
	CDLC 6624-H		66 36 29	125	6
	CDLC 7224-H		72 36 29	135	7
24" - 24" CORNER DESK SHELL - EXTENDED RIGHT  2 full end panels 1 full end panel and 1 recessed end panel - interchangeable 2 recessed end panels	CDRA 6024-H		60 36 29	115	5
	CDRA 6624-H		66 36 29	125	6
	CDRA 7224-H		72 36 29	135	7
	CDRB 6024-H		60 36 29	115	5
	CDRB 6624-H		66 36 29	125	6
	CDRB 7224-H		72 36 29	135	7
	CDRC 6024-H		60 36 29	115	5
	CDRC 6624-H		66 36 29	125	6
	CDRC 7224-H		72 36 29	135	7
NO-GROMMET OPTION - Add suffix (/NGR) to product code	/NGR		n/a n/a n/a	n/a	n/a




Extended Corner Desk Shells


Features:

- 1" thick worksurface
- Black corner post leg standard. For optional silver finish add suffix (/SL) to product code
- Back panels standard full height with horizontal wood grain pattern
- Optional partial height back panels available (see below)
- Optional curved cutaway in worksurface (see below)
- 6030 and 6630 desk shells do not accommodate optional pedestal

24" - 30" CORNER DESK SHELL - EXTENDED LEFT




2 full end panels




1 full end panel and
1 recessed end panel
- interchangeable

2 recessed end panels

30" - 24" CORNER DESK SHELL - EXTENDED RIGHT



2 full end panels



1 full end panel and
1 recessed end panel
- interchangeable

2 recessed end panels

OPTIONS


PARTIAL HEIGHT BACK PANELS

- Choose suffix below to match back panel preference
- Add suffix to "CDL" or "CDR" product code


"CDL"

Corner Desk Shells:


(3/4 Height Suffix) / 3Q
(1/2 Height Suffix) / 2Q



/ 3Q
/ 2Q



/ 3QL
/ 2QL




/ 3QR
/ 2QR


"CDR"

Corner Desk Shells:


(3/4 Height Suffix) / 3Q
(1/2 Height Suffix) / 2Q



/ 3Q
/ 2Q



/ 3QL
/ 2QL



/ 3QR
/ 2QR

CURVED CUTAWAY

- Add suffix (/CV) to product code
- Replaces straight cutaway in worksurface



LEFT

RIGHT

NO-GROMMET OPTION

- Add suffix (/NGR) to product code


Product Code	List Price	Dimensions W D H	Wt lbs	Cube ft ³
CDLA 6030-H		60 36 29	115	5
CDLA 6630-H		66 36 29	125	6
CDLA 7230-H		72 36 29	135	7
CDLB 6030-H		60 36 29	115	5
CDLB 6630-H		66 36 29	125	6
CDLB 7230-H		72 36 29	135	7
CDLC 6030-H		60 36 29	115	5
CDLC 6630-H		66 36 29	125	6
CDLC 7230-H		72 36 29	135	7
CDRA 6030-H		60 36 29	115	5
CDRA 6630-H		66 36 29	125	6
CDRA 7230-H		72 36 29	135	7
CDRB 6030-H		60 36 29	115	5
CDRB 6630-H		66 36 29	125	6
CDRB 7230-H		72 36 29	135	7
CDRC 6030-H		60 36 29	115	5
CDRC 6630-H		66 36 29	125	6
CDRC 7230-H		72 36 29	135	7
/ 3Q / 3QL / 3QR / 2Q / 2QL / 2QR		n/a n/a n/a	-5	n/a
		n/a n/a n/a	-5	n/a
		n/a n/a n/a	n/a	n/a
		n/a n/a n/a	n/a	n/a
		n/a n/a n/a	n/a	n/a
		n/a n/a n/a	n/a	n/a
/ CV		n/a n/a n/a	n/a	n/a
/ NGR		n/a n/a n/a	n/a	n/a

D-Tops


Features:

- 1" thick worksurface
- 6" diameter black post leg standard. For optional silver finish add suffix (/SL) to product code
- Suspended D-Tops have no grommet
- Freestanding D-Tops must be attached to adjacent furniture for proper stability

SUSPENDED




SUSPENDED - with centered 14" high modesty panel




For full-height modesty panel, add suffix (/FMP) to product code.


FREE STANDING



FREE STANDING - with reversible, offset 14" high modesty panel



FREE STANDING - with centred 14" high modesty panel



For full-height modesty panel, add suffix (/FMP) to product code.

Product Code	List Price	Dimensions			Wt lbs	Cube ft ³
		W	D	H		
DS 3624-H		36	24	29	60	2
DS 4224-H		42	24	29	65	2
DS 4824-H		48	24	29	70	3
DS 5424-H		54	24	29	75	3
DS 6024-H		60	24	29	80	4
DS 6624-H		66	24	29	85	4
DS 4830-H		48	30	29	80	3
DS 5430-H		54	30	29	85	3
DS 6030-H		60	30	29	90	4
DS 6630-H		66	30	29	93	4
DS 7230-H		72	30	29	95	5
DS 6636-H		66	36	29	95	5
DS 7236-H		72	36	29	100	5
DSM 3624-H		36	24	29	75	2
DSM 4224-H		42	24	29	80	2
DSM 4824-H		48	24	29	85	3
DSM 5424-H		54	24	29	90	3
DSM 6024-H		60	24	29	95	4
DSM 6624-H		66	24	29	100	4
DSM 4830-H		48	30	29	95	3
DSM 5430-H		54	30	29	100	3
DSM 6030-H		60	30	29	105	4
DSM 6630-H		66	30	29	108	4
DSM 7230-H		72	30	29	110	5
DSM 6636-H		66	36	29	110	5
DSM 7236-H		72	36	29	115	5
DF 4824-H		48	24	29	85	4
DF 5424-H		54	24	29	95	4
DF 6024-H		60	24	29	105	4
DF 6624-H		66	24	29	115	5
DF 4830-H		48	30	29	110	5
DF 5430-H		54	30	29	115	5
DF 6030-H		60	30	29	120	5
DF 6630-H		66	30	29	125	5
DF 7230-H		72	30	29	130	6
DF 6636-H		66	36	29	130	6
DF 7236-H		72	36	29	135	6
DM 6030-H		60	30	29	125	5
DM 6630-H		66	30	29	130	5
DM 7230-H		72	30	29	135	6
DM 7236-H		72	36	29	135	6
DCM 4824-H		48	24	29	85	4
DCM 5424-H		54	24	29	95	4
DCM 6024-H		60	24	29	105	4
DCM 6624-H		66	24	29	115	5
DCM 4830-H		48	30	29	110	5
DCM 5430-H		54	30	29	115	5
DCM 6030-H		60	30	29	120	5
DCM 6630-H		66	30	29	125	5
DCM 7230-H		72	30	29	130	6
DCM 6636-H		66	36	29	130	6
DCM 7236-H		72	36	29	135	6



COLLABORATIVE



P-Tops


Features:

- 1" thick worksurface
- 6" diameter black post leg standard. For optional silver finish add suffix (/SL) to product code
- Suspended P-Tops have no grommet
- Freestanding P-Tops must be attached to adjacent furniture for proper stability




HAVEN


SUSPENDED - Left Hand




SUSPENDED - Right Hand




FREE STANDING - Left Hand



FREE STANDING - Right Hand




FREE STANDING - Left Hand with 14" high modesty panel



For full-height modesty panel, add suffix (/FMP) to product code.

FREE STANDING - Right Hand with 14" high modesty panel



For full-height modesty panel, add suffix (/FMP) to product code.


Product Code	List Price	Dimensions W D H			Wt lbs	Cube ft ³
PLS 6036-H		60	36	29	85	4
PLS 6636-H		66	36	29	90	5
PLS 7236-H		72	36	29	95	5
PLS 6042-H		60	42	29	88	4
PLS 6642-H		66	42	29	93	5
PLS 7242-H		72	42	29	98	5
PRS 6036-H		60	36	29	85	4
PRS 6636-H		66	36	29	90	5
PRS 7236-H		72	36	29	95	5
PRS 6042-H		60	42	29	88	4
PRS 6642-H		66	42	29	93	5
PRS 7242-H		72	42	29	98	5
PLF 6036-H		60	36	29	115	5
PLF 6636-H		66	36	29	125	5
PLF 7236-H		72	36	29	130	5
PLF 6042-H		60	42	29	120	6
PLF 6642-H		66	42	29	130	6
PLF 7242-H		72	42	29	135	6
PRF 6036-H		60	36	29	115	5
PRF 6636-H		66	36	29	125	6
PRF 7236-H		72	36	29	130	6
PRF 6042-H		60	42	29	120	5
PRF 6642-H		66	42	29	130	6
PRF 7242-H		72	42	29	135	6
PLM 6036-H		60	36	29	115	5
PLM 6636-H		66	36	29	125	6
PLM 7236-H		72	36	29	130	6
PLM 6042-H		60	42	29	120	5
PLM 6642-H		66	42	29	130	6
PLM 7242-H		72	42	29	135	6
PRM 6036-H		60	36	29	115	5
PRM 6636-H		66	36	29	125	6
PRM 7236-H		72	36	29	130	6
PRM 6042-H		60	42	29	120	5
PRM 6642-H		66	42	29	130	6
PRM 7242-H		72	42	29	135	6

Overheads - 36" and 43" High


Features:

- 1" thick top
- 13¾" internal height clearance
- Full width concealed cable pass-thru 1¾" high
- 36" overheads have 17½" clearance above desktop and 65" installed height
- 43" overheads have 24" clearance above desktop and 72" installed height
- For cutaway gable options see page 41
- Closed overheads standard without handles and non-locking. For lock options see below
- Shipped assembled

OPEN OVERHEAD - 36" HIGH




without centre divider




with centre divider

OPEN OVERHEAD - 43" HIGH




without centre divider




with centre divider


CLOSED OVERHEAD - 36" HIGH



2 doors




3 doors




4 doors

Lock Option - add suffix (/L) to product code


CLOSED OVERHEAD - 43" HIGH



2 doors



3 doors



4 doors

Lock Option - add suffix (/L) to product code

Product Code	List Price	Dimensions W D H			Wt lbs	Cube ft ³
OS 2436-H		24	16	36	60	9
OS 3036-H		30	16	36	70	10
OS 3636-H		36	16	36	80	12
OS 4236-H		42	16	36	90	14
OS 4836-H		48	16	36	100	16
OS 5436-H		54	16	36	110	18
OS 6036-H		60	16	36	120	20
OS 6636-H		66	16	36	130	21
OS 7236-H		72	16	36	140	23
OS 7836-H		78	16	36	150	24
OS 2443-H		24	16	43	60	10
OS 3043-H		30	16	43	70	11
OS 3643-H		36	16	43	80	13
OS 4243-H		42	16	43	90	15
OS 4843-H		48	16	43	100	18
OS 5443-H		54	16	43	110	20
OS 6043-H		60	16	43	120	22
OS 6643-H		66	16	43	130	23
OS 7243-H		72	16	43	140	26
OS 7843-H		78	16	43	150	27
OD 2436-H		24	16	36	70	9
OD 3036-H		30	16	36	80	10
OD 3636-H		36	16	36	95	12
OD 4236-H		42	16	36	105	14
OD 4836-H		48	16	36	120	16
OD 5436-H		54	16	36	130	18
OD 6036-H		60	16	36	145	20
OD 6636-H		66	16	36	155	21
OD 7236-H		72	16	36	170	23
OD 7836-H		78	16	36	180	24
OD 2443-H		24	16	43	80	10
OD 3043-H		30	16	43	90	11
OD 3643-H		36	16	43	105	13
OD 4243-H		42	16	43	115	15
OD 4843-H		48	16	43	130	18
OD 5443-H		54	16	43	140	20
OD 6043-H		60	16	43	155	22
OD 6643-H		66	16	43	165	23
OD 7243-H		72	16	43	180	26
OD 7843-H		78	16	43	190	27

Overheads - Frosted Glass Doors and Sliding Frosted Acrylic Doors


Features:

- 1" thick top
- 13¼" internal height clearance
- For cutaway gable options see page 41
- Closed overheads standard without handles and non-locking.
- Full width concealed cable pass-thru 1¾" high on 36" and 43" high units
- Shipped assembled




HAVEN


EXECUTIVE OVERHEAD - FROSTED GLASS DOORS



- 36" high
- 17½" clearance above desktop
- Not available locking




- 43" high
- 24" clearance above desktop
- Not available locking



- Wall-mount instructions and hardware included
- Not available locking


NOTE: Door Frame Available in Aluminum Finish only

OVERHEAD - 36" HIGH - SLIDING FROSTED ACRYLIC DOORS




- 36" high
- 17½" clearance above desktop
- Not available locking

OVERHEAD - 43" HIGH - SLIDING FROSTED ACRYLIC DOORS



- 43" high
- 24" clearance above desktop
- Not available locking

WALL-MOUNT OVERHEAD - SLIDING FROSTED ACRYLIC DOORS






- Wall-mount instructions and hardware included
- Not available locking

Product Code	List Price	Dimensions			Wt lbs	Cube ft ³
		W	D	H		
OF 6036-H /AL		60	16	36	145	19
OF 6636-H /AL		66	16	36	155	21
OF 7236-H /AL		72	16	36	170	23
OF 6043-H /AL		60	16	43	155	21
OF 6643-H /AL		66	16	43	165	23
OF 7243-H /AL		72	16	43	180	26
WMOF 60-H /AL		60	17	18	118	13
WMOF 66-H /AL		66	17	18	129	14
WMOF 72-H /AL		72	17	18	140	15
OSD 4236-H		42	16	36	120	14
OSD 4836-H		48	16	36	135	16
OSD 5436-H		54	16	36	145	18
OSD 6036-H		60	16	36	160	20
OSD 6636-H		66	16	36	175	21
OSD 7236-H		72	16	36	190	23
OSD 7836-H		78	16	36	195	24
OSD 4243-H		42	16	43	130	15
OSD 4843-H		48	16	43	145	18
OSD 5443-H		54	16	43	155	20
OSD 6043-H		60	16	43	170	22
OSD 6643-H		66	16	43	185	23
OSD 7243-H		72	16	43	195	26
OSD 7843-H		78	16	43	205	27
WMOSD 42-H		42	17	18	93	9
WMOSD 48-H		48	17	18	111	10
WMOSD 54-H		54	17	18	122	11
WMOSD 60-H		60	17	18	133	13
WMOSD 66-H		66	17	18	144	14
WMOSD 72-H		72	17	18	155	15
WMOSD 78-H		78	17	18	166	16

Overheads - Wall-Mount and Cutaway Gable Options

Features:

















- 1" thick top
- 13¾" internal height clearance
- Closed overheads standard without handles and non-locking.
- Lock option available for wall-mount (see below)
- Shipped assembled

		Product Code	List Price	Dimensions W D H			Wt lbs	Cube ft ³
WALL-MOUNT OVERHEAD - OPEN								
	without centre divider	WMOS 24-H		24	17	18	42	5
		WMOS 30-H		30	17	18	51	6
	with centre divider	WMOS 36-H		36	17	18	59	8
		WMOS 42-H		42	17	18	68	9
		WMOS 48-H		48	17	18	76	10
		WMOS 54-H		54	17	18	85	11
		WMOS 60-H		60	17	18	93	13
		WMOS 66-H		66	17	18	102	14
		WMOS 72-H		72	17	18	110	15
		WMOS 78-H		78	17	18	119	16
- Wall-mount hardware and instructions included								
WALL-MOUNT OVERHEAD - CLOSED								
	2 doors	WMOD 24-H		24	17	18	52	5
		WMOD 30-H		30	17	18	61	6
	3 doors	WMOD 36-H		36	17	18	72	8
		WMOD 42-H		42	17	18	83	9
	4 doors	WMOD 48-H		48	17	18	96	10
		WMOD 54-H		54	17	18	107	11
		WMOD 60-H		60	17	18	118	13
		WMOD 66-H		66	17	18	129	14
		WMOD 72-H		72	17	18	140	15
		WMOD 78-H		78	17	18	151	16
Lock Option - add suffix (/L) to product code								
OPTIONS: For all 36" High and 43" High Overheads								
CUTAWAY GABLE - LEFT								
	- Add suffix (/CGL) to product code	/CGL		n/a	n/a	n/a	n/a	n/a
	- 6" cutaway							
CUTAWAY GABLE - RIGHT								
	- Add suffix (/CGR) to product code	/CGR		n/a	n/a	n/a	n/a	n/a
	- 6" cutaway							
CUTAWAY GABLE - LEFT & RIGHT								
	- Add suffix (/CGL /CGR) to product code	/CGL /CGR		n/a	n/a	n/a	n/a	n/a
	- 6" cutaway							
NOTES:								
- Cutaway Gable option is not designed for stand-alone overhead application or overhead with paper sorter insert								
- Specify No-grommet option on a desk shell if you position two overheads on top and they meet in the middle of the desk								

Corner Overheads - 36" and 43" High

Features:

- 1" thick top
- 13¾" internal height clearance
- Full width concealed cable pass-thru 1¾" high
- 36" overheads have 17½" clearance above desktop and 65" installed height
- 43" overheads have 24" clearance above desktop and 72" installed height
- For cutaway gable options see page 41
- Corner overheads with doors are non-locking only; standard without handles
- Shipped assembled in 2 cartons


			Product Code	List Price	Dimensions				Wt	Cube
					W	W	D	H	lbs	ft³
OPEN CORNER OVERHEAD - 36" HIGH										
 			OCS 3636-H		36	36	36		140	24
OPEN CORNER OVERHEAD - 36" HIGH										
 			OCS 4236-H		42	42	36		150	26
			OCS 4836-H		48	48	36		160	28
OPEN CORNER OVERHEAD - 43" HIGH										
 			OCS 3643-H		36	36	43		160	25
OPEN CORNER OVERHEAD - 43" HIGH										
 			OCS 4243-H		42	42	43		170	27
			OCS 4843-H		48	48	43		180	29
CLOSED CORNER OVERHEAD - 36" HIGH										
 	2 doors		OCD 3636-H		36	36	36		165	24
CLOSED CORNER OVERHEAD - 36" HIGH										
 	4 doors		OCD 4236-H		42	42	36		175	26
			OCD 4836-H		48	48	36		190	28
CLOSED CORNER OVERHEAD - 43" HIGH										
 	2 doors		OCD 3643-H		36	36	43		185	25
CLOSED CORNER OVERHEAD - 43" HIGH										
 	4 doors		OCD 4243-H		42	42	43		195	27
			OCD 4843-H		48	48	43		210	29

Paper Management Options



HAVEN

STACK-ON ORGANIZER HUTCH



SOH 6022-H

60 16 22

105 15

SOH 6622-H

66 16 22

112 17

SOH 7222-H

72 16 22

120 18

SOH 7822-H

78 16 22

129 19

PAPER ORGANIZER



- Horizontal Dividers

POHD 1713-H

17 13½ 17¼

30 3

PAPER ORGANIZER




- Horizontal and Vertical Dividers

POHVD 1713-H

17 13½ 17¼

31 3

OVERHEAD PAPER SORTER INSERT



- Field installed
- Not available for Corner Overheads and
Wall-Mount Overheads, or with cutaway gable

2½" clearance below doors
(4½" below shelf)

OPS 24-H

22 13½ 5¼

14 2

OPS 30-H

28 13½ 5¼

17 2

OPS 36-H

34 13½ 5¼

20 2

OPS 42-H

40 13½ 5¼

23 2

OPS 48-H

46 13½ 5¼

26 2

OPS 54-H

52 13½ 5¼

29 2

OPS 60-H

58 13½ 5¼

32 2

OPS 66-H

64 13½ 5¼

35 2

OPS 72-H

70 13½ 5¼

38 2

OPS 78-H

76 13½ 5¼


41 2

Reception Galleries

Features:

- 1" thick top
- Laminate back panel standard
- Transaction top 12" deep
- Bow front transaction top 18" deep, with 6" overhang
- Installed height 44"
- Clearance above desk top is 14"

RECEPTION GALLERY



Product Code

List Price


Dimensions W D H

Wt lbs Cube ft³

OSG 24-H
OSG 30-H
OSG 36-H
OSG 42-H
OSG 48-H
OSG 54-H
OSG 60-H
OSG 66-H
OSG 72-H
OSG 78-H
OSG 84-H
OSG 96-H

24	12	15	30	2
30	12	15	35	3
36	12	15	40	3
42	12	15	45	4
48	12	15	50	4
54	12	15	55	5
60	12	15	60	5
66	12	15	65	6
72	12	15	70	6
78	12	15	75	7
84	12	15	80	7
96	12	15	90	8



BOW FRONT RECEPTION GALLERY



BOSG 24-H
BOSG 30-H
BOSG 36-H
BOSG 42-H
BOSG 48-H
BOSG 54-H
BOSG 60-H
BOSG 66-H
BOSG 72-H
BOSG 78-H
BOSG 84-H
BOSG 96-H

24	18	15	35	3
30	18	15	40	4
36	18	15	45	5
42	18	15	50	6
48	18	15	55	6
54	18	15	60	7
60	18	15	65	8
66	18	15	70	9
72	18	15	75	10
78	18	15	80	10
84	18	15	85	11
96	18	15	95	12



CORNER RECEPTION GALLERY - 36" x 36"



OSGC 36-H

36	36	15	45	3
----	----	----	----	---



CORNER RECEPTION GALLERY - 42" x 42"



OSGC 42-H

42	42	15	55	4
----	----	----	----	---

CORNER RECEPTION GALLERY - 48" x 48"



OSGC 48-H


48	48	15	65	4
----	----	----	----	---

Extended Corner Reception Galleries


Features:

- 1" thick top
- Laminate back panel standard
- Installed height is 44"
- Clearance above desk top is 14"


24" CORNER RECEPTION GALLERY - LEFT




24" CORNER RECEPTION GALLERY - RIGHT




30" CORNER RECEPTION GALLERY - LEFT




30" CORNER RECEPTION GALLERY - RIGHT




36" CORNER RECEPTION GALLERY - LEFT




36" CORNER RECEPTION GALLERY - RIGHT



42" CORNER RECEPTION GALLERY - LEFT




42" CORNER RECEPTION GALLERY - RIGHT



Product Code	List Price	Dimensions W D H			Wt lbs	Cube ft ³
OSGCL 6024-H		60	24	15	70	2
OSGCL 6624-H		66	24	15	75	2
OSGCL 7224-H		72	24	15	80	3
OSGCL 8424-H		84	24	15	90	3
OSGCL 9624-H		96	24	15	100	3
OSGCR 6024-H		60	24	15	70	2
OSGCR 6624-H		66	24	15	75	2
OSGCR 7224-H		72	24	15	80	3
OSGCR 8424-H		84	24	15	90	3
OSGCR 9624-H		96	24	15	100	3
OSGCL 6030-H		60	30	15	75	2
OSGCL 6630-H		66	30	15	80	3
OSGCL 7230-H		72	30	15	85	3
OSGCL 8430-H		84	30	15	95	3
OSGCL 9630-H		96	30	15	105	4
OSGCR 6030-H		60	30	15	75	2
OSGCR 6630-H		66	30	15	80	3
OSGCR 7230-H		72	30	15	85	3
OSGCR 8430-H		84	30	15	95	3
OSGCR 9630-H		96	30	15	105	4
OSGCL 6036-H		60	36	15	80	3
OSGCL 6636-H		66	36	15	85	3
OSGCL 7236-H		72	36	15	90	3
OSGCL 8436-H		84	36	15	100	4
OSGCL 9636-H		96	36	15	110	4
OSGCR 6036-H		60	36	15	80	3
OSGCR 6636-H		66	36	15	85	3
OSGCR 7236-H		72	36	15	90	3
OSGCR 8436-H		84	36	15	100	4
OSGCR 9636-H		96	36	15	110	4
OSGCL 6642-H		66	42	15	90	3
OSGCL 7242-H		72	42	15	95	3
OSGCL 8442-H		84	42	15	105	4
OSGCL 9642-H		96	42	15	115	4
OSGCR 6642-H		66	42	15	90	3
OSGCR 7242-H		72	42	15	95	3
OSGCR 8442-H		84	42	15	105	4
OSGCR 9642-H		96	42	15	115	4

Reception Gallery Options

RECEPTION GALLERY PAPER SORTER INSERT



- Field installed
- Not available for Corner Galleries



Product Code	List Price	Dimensions				Wt Cube lbs ft ³	
		W _i	W	D	H		
GPS 24-H		22	10 1/4	4 1/2		14	2
GPS 30-H		28	10 1/4	4 1/2		17	2
GPS 36-H		34	10 1/4	4 1/2		20	2
GPS 42-H		40	10 1/4	4 1/2		23	2
GPS 48-H		46	10 1/4	4 1/2		26	2
GPS 54-H		52	10 1/4	4 1/2		29	2
GPS 60-H		58	10 1/4	4 1/2		32	2
GPS 66-H		64	10 1/4	4 1/2		35	2
GPS 72-H		70	10 1/4	4 1/2		38	2
GPS 78-H		76	10 1/4	4 1/2		41	2



Pedestals

Features:

- Pedestal standard with all drawers locking
- Five-sided drawer construction
- Full extension ball bearing slides on all drawers
- File drawers accommodate letter /legal filing
- Pencil tray standard in upper box drawer
- 5 wheel anti-tip feature on mobile pedestals
- Mobile pedestal top not available in Pattern laminates (see page 4)
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code
- Optional surface-mounted handles available at \$20 each (see page 5)
- Shipped assembled

	Product Code	List Price	Dimensions W D H	Wt lbs	Cube ft ³
HANGING PEDESTAL - BOX / BOX					
	H2B-H		15½ 19 14	40	4
HANGING PEDESTAL - BOX / FILE					
	HBF-H		15½ 19 19	55	4
HANGING PEDESTAL - FILE					
	HF-H		15½ 19 14	45	4
FULL HEIGHT PEDESTAL - BOX / BOX / FILE					
	F2BF-H		15½ 19 28	85	6
FULL HEIGHT PEDESTAL - FILE / FILE					
	F2F-H		15½ 19 28	85	6
FULL HEIGHT PEDESTAL - SHELF / BOX / FILE					
	FSBF-H		15½ 19 28	80	7
MOBILE PEDESTAL - BOX / FILE					
 - 5/8" thick top	MBF-H		15½ 19 21½	80	7
MOBILE PEDESTAL - BOX / BOX / FILE					
 - 5/8" thick top	M2BF-H		15½ 19 27¾	95	7
MOBILE PEDESTAL - FILE / FILE					
 - 5/8" thick top	M2F-H		15½ 19 27¾	95	7
MOBILE PEDESTAL - SHELF / BOX / FILE					
 - 5/8" thick top	MSBF-H		15½ 19 27¾	95	7

Lateral Files - Under Desk, Integrated and Stand Alone





Features:

- 1" thick top
- Steel drawers
- Anti-tip interlock system
- Heavy duty full extension ball bearing drawer slides
- Accommodates letter and legal filing
- Integrated 2-drawer lateral file is available in 20" and 24" depth to match adjacent items
- Stand Alone lateral files are designed to be used with each other so base and grain pattern match
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code
- Optional surface-mounted handles available at \$20 each (see page 5)
- Shipped assembled



2-drawer integrated lateral file

HAVEN

	Product Code	List Price	Dimensions W D H			Wt lbs	Cube ft ³
2-DRAWER LATERAL FILE - UNDER DESK  - Fits below 20", 24" or 30" deep desk shell - Vertical grain standard on fronts - Locking	LFT 30-H		30	19	28	105	13
	LFT 36-H		36	19	28	125	15
2-DRAWER LATERAL FILE - INTEGRATED  - Matches depth and height of adjacent items - Vertical grain standard on fronts - Locking	LF2 3020-H		30	20	29	105	13
	LF2 3024-H		30	24	29	115	13
	LF2 3620-H		36	20	29	130	15
	LF2 3624-H		36	24	29	140	15
2-DRAWER LATERAL FILE - STAND ALONE  - Horizontal grain on drawer fronts - Locking	SLF2 3020-H		30	20	30	105	13
	SLF2 3620-H		30	20	30	130	15
3-DRAWER LATERAL FILE - STAND ALONE  - Horizontal grain on drawer fronts - 2 locks keyed-alike	SLF3 3020-H		30	20	44	175	18
	SLF3 3620-H		36	20	44	200	21
4-DRAWER LATERAL FILE - STAND ALONE  - Horizontal grain on drawer fronts - 2 locks keyed-alike	SLF4 3020-H		30	20	58	220	24
	SLF4 3620-H		36	20	58	260	29
OPTIONS							
FRONT-TO-BACK FILING HARDWARE  - Set of 4 bars for 1 drawer - Order separately for each drawer as required	FTBF		n/a			n/a n/a	

Lower Storage Units — Under Desk and Freestanding

Features:

- 1" thick top on freestanding units
- 20" and 24" deep units match workstation configurations
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code
- Optional surface-mounted handles available at \$20 each (see page 5)
- Multi-file storage cabinets are not grain-matched and upper drawers and doors are non-locking only
- For lateral file front to back filing hardware, see page 48
- Shipped assembled

	Product Code	List Price	Dimensions W D H	Wt lbs	Cube ft ³
STORAGE CABINET - UNDER DESK  - Fits below 20", 24" or 30" desk shell - 1 adjustable shelf (33-3/8"w) - Non-locking only	SCT 30-H		30 19 28	80	13
	SCT 36-H		36 19 28	90	15
STORAGE & FILE CABINET - UNDER DESK  - Fits below 20", 24" or 30" desk shell - 2 file drawers right - Storage left (18½"w) - 1 adjustable shelf	<i>Non-locking</i> BSCT-H		36 19 28	110	15
	<i>Locking (2 locks keyed-alike)</i> BSCTL-H		36 19 28	110	15
MULTI - FILE STORAGE CABINET - UNDER DESK  - Fits below 20", 24" or 30" desk shell - 2 box drawers upper left - Closed storage upper right - Lower locking lateral file drawer  - Fits below 20", 24" or 30" desk shell - File drawer upper left - Closed storage upper right (12½"w) - Lower locking lateral file drawer	MFSBT 30-H		30 19 28	105	13
	MFSFT 30-H		30 19 28	105	13
STORAGE CABINET  - 1 adjustable shelf (33-3/8"w)	<i>Non-locking</i>	SC 3020-H	30 20 29	85	13
		SC 3024-H	30 24 29	95	14
		SC 3620-H	36 20 29	100	13
		SC 3624-H	36 24 29	110	15
	<i>Locking</i>	SCL 3020-H	30 20 29	85	13
		SCL 3024-H	30 24 29	95	14
		SCL 3620-H	36 20 29	100	13
		SCL 3624-H	36 24 29	110	15
STORAGE & FILE CABINET  - 2 file drawers right - Storage left (18½"w) - 1 adjustable shelf	<i>Non-locking</i>	BSC 3620-H	36 20 29	115	13
		BSC 3624-H	36 24 29	125	15
	<i>Locking (2 locks keyed-alike)</i>	BSCL 3620-H	36 20 29	115	13
		BSCL 3624-H	36 24 29	125	15
MULTI - FILE STORAGE CABINET  - 2 box drawers upper left - Closed storage upper right (12½"w) - Lower locking lateral file drawer  - File drawer upper left - Closed storage upper right (12½"w) - Lower locking lateral file drawer		MFSB 3020-H	30 20 29	105	13
		MFSB 3024-H	30 24 29	105	13
		MFSF 3020-H	30 20 29	105	13
		MFSF 3024-H	30 24 29	105	13

Storage Towers - 24" Wide

Features:

- 1" thick top
- Doors standard non-locking. For lock option add suffix (/L) to product code
- Frosted doors non-locking only
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code
- Optional surface-mounted handles available at \$20 each (see page 5)
- Shipped assembled

				Product Code	List Price	Dimensions W D H			Wt lbs	Cube ft ³	
STORAGE TOWER - 48" and 54" HIGH					ST 242048R-H		24	20	48	160	15
 Hinged Right	- 2 full-width adjustable shelves (21½" w)	<i>Hinged Right</i>	ST 242448R-H		24	24	48	165	17		
			ST 242054R-H		24	20	54	170	17		
			ST 242454R-H		24	24	54	180	19		
			ST 242048L-H		24	20	48	160	15		
	<i>Hinged Left</i>	ST 242448L-H		24	24	48	165	17			
		ST 242054L-H		24	20	54	170	17			
		ST 242454L-H		24	24	54	180	19			
		STORAGE TOWER - 65" and 72" HIGH					ST 242065R-H		24	20	65
 Hinged Right	- 4 full-width adjustable shelves (21½" w)	<i>Hinged Right</i>	ST 242465R-H		24	24	65	180	23		
			ST 242072R-H		24	20	72	180	23		
			ST 242472R-H		24	24	72	190	25		
			ST 242065L-H		24	20	65	175	21		
	<i>Hinged Left</i>	ST 242465L-H		24	24	65	180	23			
		ST 242072L-H		24	20	72	180	23			
		ST 242472L-H		24	24	72	190	25			
		WARDROBE TOWER - 48" and 54" HIGH					WT 242048R-H		24	20	48
 Hinged Right	- Full-width coat hanger bar (21½" w)	<i>Hinged Right</i>	WT 242448R-H		24	24	48	155	17		
			WT 242054R-H		24	20	54	160	17		
			WT 242454R-H		24	24	54	170	19		
			WT 242048L-H		24	20	48	150	15		
	<i>Hinged Left</i>	WT 242448L-H		24	24	48	155	17			
		WT 242054L-H		24	20	54	160	17			
		WT 242454L-H		24	24	54	170	19			
		STORAGE & WARDROBE TOWER - 65" and 72" HIGH					SW 242065R-H		24	20	65
 Hinged Right	- 4 adjustable shelves (14-1¼"w) - Coat hanger bar (6 3/8" w)	<i>Hinged Right</i>	SW 242465R-H		24	24	65	180	23		
			SW 242072R-H		24	20	72	180	23		
			SW 242472R-H		24	24	72	190	25		
			SW 242065L-H		24	20	65	175	21		
	<i>Hinged Left</i>	SW 242465L-H		24	24	65	180	23			
		SW 242072L-H		24	20	72	180	23			
		SW 242472L-H		24	24	72	190	25			
		STORAGE, WARDROBE & FILE TOWER - 65" and 72" HIGH					SWF 242065R-H		24	20	65
 Hinged Right	- 1 adjustable shelf (14-1¼"w) - 3 letter/legal file drawers - Coat hanger bar (6 3/8" w) - Full width door	<i>Hinged Right</i>	SWF 242465R-H		24	24	65	195	23		
			SWF 242072R-H		24	20	72	195	23		
			SWF 242472R-H		24	24	72	205	25		
			SWF 242065L-H		24	20	65	190	21		
	<i>Hinged Left</i>	SWF 242465L-H		24	24	65	195	23			
		SWF 242072L-H		24	20	72	195	23			
		SWF 242472L-H		24	24	72	205	25			
		WARDROBE, FILE & STORAGE TOWER - 65" and 72" HIGH					WFS 242065R-H		24	20	65
 Hinged Right	- Upper closed storage - Middle open storage - Lower letter/legal file drawers, locking - Coat hanger bar (6-3/8") - Separate wardrobe door, available non-locking only	<i>Hinged Right</i>	WFS 242465R-H		24	24	65	180	23		
			WFS 242072R-H		24	20	72	180	23		
			WFS 242472R-H		24	24	72	190	25		
			WFS 242065L-H		24	20	65	175	21		
	<i>Hinged Left</i>	WFS 242465L-H		24	24	65	180	23			
		WFS 242072L-H		24	20	72	180	23			
		WFS 242472L-H		24	24	72	190	25			



Storage Towers - 30" and 36" Wide

Features:

- 1" thick top
- Doors standard non-locking. For lock option add suffix (/L) to product code and \$68 to list price.
- Frosted doors non locking only
- Black integral pull standard. For optional silver finish add suffix (/FPS) to product code
- Optional surface-mounted handles available at \$20 each (see page 5)
- Shipped assembled

STORAGE TOWER WITH LATERAL FILES - FROSTED GLASS DOORS



- Locking lateral files
- Frosted doors non-locking only
- Door knob finish matches drawer handles
- 2 adjustable shelves
- Front-to-back filing hardware (see page 49)

Note: Door Frame Available in Aluminum Finish only

STORAGE TOWER WITH LATERAL FILES




- Locking lateral files
- Non-locking upper storage
- 2 adjustable shelves (27½" or 33-3/8"w)
- Front-to-back filing hardware (see page 49)

STORAGE TOWER



- 4 full-width adjustable shelves (33-3/8"w)

WARDROBE TOWER



- Full-width wardrobe
- Hat shelf
- Coat hanger bar (33-3/8"w)

STORAGE & WARDROBE TOWER



- 4 adjustable shelves (26"w)
- Coat hanger bar (6-3/8"w)

Product Code	List Price	Dimensions W D H			Wt lbs	Cube ft ³
FFS 302065-H /AL		30	20	65	185	24
FFS 302465-H /AL		30	24	65	210	28
FFS 302072-H /AL		30	20	72	205	27
FFS 302472-H /AL		30	24	72	230	31
FFS 362065-H /AL		36	20	65	215	29
FFS 362465-H /AL		36	24	65	240	33
FFS 362072-H /AL		36	20	72	235	32
FFS 362472-H /AL		36	24	72	260	36
FS 302065-H		30	20	65	185	24
FS 302465-H		30	24	65	210	28
FS 302072-H		30	20	72	205	27
FS 302472-H		30	24	72	230	31
FS 362065-H		36	20	65	215	29
FS 362465-H		36	24	65	240	33
FS 362072-H		36	20	72	235	32
FS 362472-H		36	24	72	260	36
ST 362065-H		36	20	65	200	29
ST 362465-H		36	24	65	220	33
ST 362072-H		36	20	72	215	32
ST 362472-H		36	24	72	240	36
WT 362065-H		36	20	65	165	29
WT 362465-H		36	24	65	175	33
WT 362072-H		36	20	72	170	32
WT 362472-H		36	24	72	185	36
SW 362065-H		36	20	65	200	29
SW 362465-H		36	24	65	220	33
SW 362072-H		36	20	72	215	32
SW 362472-H		36	24	72	240	36


Bookcases

Features:

- 1" thick top and shelves
- Adjustable shelves
- Quarter-round and corner-square bookcases have evenly spaced fixed shelves
- Select grain direction on quarter-round and corner-square bookcases to match adjacent units
- Shipped assembled




BOOKCASE



F = fixed

DESK TOP BOOKCASE



F = fixed

- Use with lateral files and storage cabinets
- 12" clearance above desktop


QUARTER-ROUND BOOKCASE - LEFT and RIGHT



- Matches depth and height of overheads
- For desk top use
- No bottom shelf




- Matches depth and height of desk/credenza
- 2 fixed shelves




- 16" matches depth and height of overhead
- 20" and 24" match depth and height of towers
- 4 fixed shelves

CORNER-SQUARE BOOKCASE - LEFT and RIGHT



- Matches depth and height of desk/credenza
- 2 fixed shelves



- 20" and 24" match depth and height of towers
- 4 fixed shelves

Product Code		List Price	Dimensions W D H			Wt Cube lbs ft ³	
1 adj shelf	BC 2429-H		24	14	29	50	9
2 adj shelves	BC 2448-H		24	14	48	65	13
4 adj shelves	BC 2465-H		24	14	65	90	17
4 adj shelves	BC 2472-H		24	14	72	105	20
1 adj shelf	BC 3029-H		30	14	29	55	10
2 adj shelves	BC 3048-H		30	14	48	75	15
4 adj shelves	BC 3065-H		30	14	65	105	20
4 adj shelves	BC 3072-H		30	14	72	120	22
1 adj shelf	BC 3629-H		36	14	29	60	11
2 adj shelves	BC 3648-H		36	14	48	85	18
4 adj shelves	BC 3665-H		36	14	65	120	24
4 adj shelves	BC 3672-H		36	14	72	135	26
24" shelf - extra	ES 24-H		22	13	1	4	1
30" shelf - extra	ES 30-H		28	13	1	5	1
36" shelf - extra	ES 36-H		34	13	1	6	1
1 adj shelf	XCB 3036-H		30	16	36	70	11
2 adj shelves	XCB 3043-H		30	16	43	80	12
1 adj shelves	XCB 3636-H		36	16	36	80	12
2 adj shelves	XCB 3643-H		36	16	43	90	13
30" shelf - extra	XES 30-H		28	13	1	5	1
36" shelf - extra	XES 36-H		34	13	1	6	1
	QRB 1636-H		16	16	36	65	5
	QRB 1643-H		16	16	43	70	6
	QRB 2029-H		20	20	29	65	5
	QRB 2429-H		24	24	29	70	6
	QRB 1665-H		16	16	65	90	8
	QRB 2065-H		20	20	65	100	20
	QRB 2465-H		24	24	65	105	22
	QRB 1672-H		16	16	72	95	9
	QRB 2072-H		20	20	72	110	22
	QRB 2472-H		24	24	72	115	24
	CSB 2029-H		20	20	29	60	9
	CSB 2429-H		24	24	29	65	10
	CSB 2065-H		20	20	65	110	20
	CSB 2465-H		24	24	65	115	22
	CSB 2072-H		20	20	72	120	22
	CSB 2472-H		24	24	72	125	24

HAVEN




Desk Top Panels and Connector Tops


Features:

- 1/4" thick frosted acrylic panels
- Simple surface-mounted attachment secures panel supports to desk top
- Quick, easy field installation
- Desk top panel supports ordered separately; available in Charcoal, Aluminum and Black Finish
- Connector tops are 1" thick

DESK TOP PANEL - 12" HIGH




- 2 desk top panel supports required
(order separately - see below)




- 3 desk top panel supports required
(order separately - see below)

DESK TOP PANEL - 18" HIGH




- 2 desk top panel supports required
(order separately - see below)



- 3 desk top panel supports required
(order separately - see below)


DESK TOP PANEL SUPPORTS



Product Code	List Price	Dimensions W D H	Wt lbs	Cube ft ³
DTP 2412		21 1/4 12	2	1
DTP 3012		27 1/4 12	3	1
DTP 3612		33 1/4 12	4	1
DTP 4212		39 1/4 12	5	1
DTP 4812		45 1/4 12	6	1
DTP 5412		51 1/4 12	7	1
DTP 6012		57 1/4 12	8	1
DTP 6612		63 1/4 12	9	1
DTP 7212		69 1/4 12	10	1
DTP 2418		21 1/4 18	3	1
DTP 3018		27 1/4 18	5	1
DTP 3618		33 1/4 18	6	1
DTP 4218		39 1/4 18	8	1
DTP 4818		45 1/4 18	9	1
DTP 5418		51 1/4 18	11	1
DTP 6018		57 1/4 18	12	1
DTP 6618		63 1/4 18	14	1
DTP 7218		69 1/4 18	15	1
Charcoal finish DTPSC		1 1/2 1 1/2 6	1	0.5
Aluminum finish DTPSA		1 1/2 1 1/2 6	1	0.5
Black finish DTPSB		1 1/2 1 1/2 6	1	0.5
ECT 2424-H		24 28 29	40	17
ECT 3030-H		30 35 29	48	17
HRCT 2424-H		48 24 29	40	2
HRCT 2430-H		54 27 29	45	3
HRCT 3030-H		60 30 29	50	3
QRCT 2424-H		24 24 29	20	1
QRCT 2430-H		24 30 29	25	1
QRCT 3024-H		30 24 29	25	1
QRCT 3030-H		30 30 29	30	1
BCT 2424-H		24 24 n/a	15	1
BCT 3024-H		30 24 n/a	20	1
BCT 3624-H		36 24 n/a	25	2
BCT 4224-H		42 24 n/a	30	2
BCT 2430-H		24 30 n/a	20	1
BCT 3030-H		30 30 n/a	25	2
BCT 3630-H		36 30 n/a	30	2
BCT 4230-H		42 30 n/a	35	2


DESK EXTENSION TABLE

- 30" by 30" X-base standard




HALF-ROUND CONNECTOR TOP


- 3" diameter post leg standard



QUARTER-ROUND CONNECTOR TOP



BRIDGE CONNECTOR TOP




Desk Top Panels and Connector Tops

Features:


- 1/4" thick frosted acrylic panels
- Simple surface-mounted attachment secures panel supports to desk top
- Quick, easy field installation
- Desk top panel supports ordered separately; available in Charcoal, Aluminum and Black finish



DESK TOP PANEL - 12" HIGH




- 2 desk top panel supports required
(order separately - see below)




- 3 desk top panel supports required
(order separately - see below)

DESK TOP PANEL - 18" HIGH




- 2 desk top panel supports required
(order separately - see below)




- 3 desk top panel supports required
(order separately - see below)


DESK TOP PANEL SUPPORTS



DESK EXTENSION TABLE



- 30" by 30" X-base standard



woodgrain
direction

ECT 2424

ECT 3030


24 28 29 1/2

30 35 29 1/2



50 17

58 17

HALF-ROUND CONNECTOR TOP



- 3" diameter post leg standard



woodgrain
direction

HRCT 2424

HRCT 2430

HRCT 3030

48 24 29 1/2

54 27 29 1/2





60 30 29 1/2

50 2

55 3

60 3

QUARTER-ROUND CONNECTOR TOP



woodgrain
direction

QRCT 2424

QRCT 2430

QRCT 3024

QRCT 3030

24 24 29 1/2

24 30 29 1/2

30 24 29 1/2

30 30 29 1/2


30 1

35 1

35 1

40 1

BRIDGE CONNECTOR TOP



woodgrain
direction

BCT 2424

BCT 3024

BCT 3624

BCT 4224

BCT 2430

BCT 3030

BCT 3630

BCT 4230

24 24 n/a

30 24 n/a

36 24 n/a

42 24 n/a

24 30 n/a

30 30 n/a

36 30 n/a

42 30 n/a

25 1

30 1

35 2

40 2









30 1

35 2






40 2

45 2

Accessories

	Product Code	List Price	Dimensions W D H			Wt lbs	Cube ft ³
KEYBOARD SHELVES - STANDARD  - Matches lower case finish - Full ext'n ball bearing slides - Requires 3" extra width and 16" deep mounting clearance	AKS 22		22	12	3	5	1
	AKS 27		27	12	3	7	1
	AKS 30		30	12	3	8	1
DELUXE ARTICULATING KEYBOARD ARM  - Quick adjust feature - Positive/negative tilt, swivel & height adjustable - Universal tray for keyboard & mouse - Multiple mouse positions, left or right - Palm support - Black finish	DARK		28	12	5	18	1
ARTICULATING KEYBOARD ARM  - Positive/negative tilt and swivel - Universal tray for keyboard - Compatible with MT mouse tray - Palm support - Requires 19 1/2" deep mounting clearance - Black finish	ARK		21	10	6	15	1
MOUSE TRAY  - Attaches to ARK on left or right - Multi-position mounting	MT		7	12	1	3	1
PENCIL DRAWER  - Shallow profile - 3/4 extension ball bearing slides - 21" W x 16" D x 2" H - Requires 22 1/2" wide and 16 1/2" deep mounting clearance - Black finish	APD		21	16	2	5	1
DESK SHELF  - Will not interfere with hanging box/file pedestal - Requires on-site installation - AS 78, AS 84 and AS 96 shelves are 2-piece - Does not fit under extended corner desk shells or corner units	AS 24-H		22	12	1	10	1
	AS 30-H		28	12	1	12	1
	AS 36-H		34	12	1	14	1
	AS 42-H		40	12	1	16	1
	AS 48-H		46	12	1	18	1
	AS 54-H		52	12	1	19	1
	AS 60-H		58	12	1	20	1
	AS 66-H		64	12	1	22	1
	AS 72-H		70	12	1	24	1
	AS 78-H		(2)37 1/2	12	1	26	1
	AS 84-H		(2)40 1/2	12	1	28	1
	AS 96-H		(2)46 1/2	12	1	32	1
GROMMET  - Field installed - Requires 2 3/4" diameter hole - Black finish	GR		2 3/4" Dia	5/8		n/a	n/a
WIRE MANAGEMENT CHANNEL  - Field installed - attached to back panel - 12" J-channel with mounting screws - Conceals wires beneath desk top	WMC		n/a	n/a	n/a	n/a	n/a
HORIZONTAL WIRE MANAGEMENT  - Set of 5; screw-on cable ties for under-desk use - Field installed-attached to underside of top	HWM		n/a	n/a	n/a	0.5	0.5
TABLE GANGING MECHANISM  - Set of 2; field installed to connect two tables - Low profile; with quick release knob - Hide-away connector plate rotates under worksurface when not in use	TGM		4.5	2.5	0.25	1	0.5

Accessories

		Product Code	List Price	Dimensions W D H	Wt lbs	Cube ft ³
TASK LIGHTS						
	Use with 30" to 42" overhead -	TL 24		24 6 2	10	½
	Use with 42" to 78" overhead -	TL 37		37 6 2	20	½
KEYED-ALIKE KITS						
	- Provides single key workstation access	1 lock KAK-1		n/a	n/a	n/a
	- Field installed	2 locks KAK-2		n/a	n/a	n/a
	- Replaces random-keyed locks	3 locks KAK-3		n/a	n/a	n/a
	- Units can be quickly and easily re-keyed using a 'lock core removal' key (included with kit)	4 locks KAK-4		n/a	n/a	n/a
	- Determine correct number of keyed-alike locks required per office by referring to product illustrations (Note: some units have multiple locks - see chart on page 7)	5 locks KAK-5		n/a	n/a	n/a
		6 locks KAK-6		n/a	n/a	n/a
HANDLE RETROFIT KITS						
H-WHB						
	- Waterfall Handle - Black	H-WHB		n/a	n/a	n/a
	- Field installed					
	- Drilling template included					
H-OPB						
	- Open Pull - Black	H-OPB		n/a	n/a	n/a
	- Field installed					
	- Drilling template included					
H-OPN						
	- Open Pull - Nickel	H-OPN		n/a	n/a	n/a
	- Field installed					
	- Drilling template included					
H-BPA						
	- Bar Pull - Aluminum	H-BPA		n/a	n/a	n/a
	- Field installed					
	- Drilling template included					
H-RPA						
	- Rod Pull - Aluminum	H-RPA		n/a	n/a	n/a
	- Field installed					
	- Drilling template included					
POWER STATION						
	- For use with standard Conference Table Tops only	/PS-1		4.25 dia 1.5	0.5	n/a
	- Compatible with all Table Base styles except Panel H-Base					
- Factory installed in standard locations only (see below)						
- Three grounded outlets, RJ45 and RJ11 Jacks						
- 10 ft power cord						
	- 1 Power Station centered on 1-piece top or centered on one half of 2-piece top	/PS-2		4.25 dia (x2)1.5	0.5	n/a
	- Add suffix (/PS1) to Conference Table Top product code					
	- 2 Power Stations centered on each half of 2-piece top					
	- Add suffix (/PS2) to Conference Table Top product code					




Conference Table and Meeting Table Tops


Features:

- Table tops available in 5 shapes with 3 edge details
- Table tops longer than 96" are 2-piece and are not grain-matched
- All tops have matching 2.5 mm edgebanding
- For base options see page 58
- Power station can be factory installed in standard locations on Conference Table Tops (see page 56)

Top Edge Detail




CONFERENCE TABLE TOPS - RECTANGULAR




CONFERENCE TABLE TOPS - RACETRACK




CONFERENCE TABLE TOPS - BOATSHAPE



MEETING TABLE TOPS - ROUND



MEETING TABLE TOPS - SQUARE



Top Features	Seating Capacity	Product Code	List Price	Dimensions L W	Wt lbs	Cube ft ³
1 - piece top 1 1/2" thick	6	RC 6036 ▲		60 36	89	3
	6	RC 6636 ▲		66 36	98	4
	6	RC 7236 ▲		72 36	113	4
	8	RC 8436 ▲		84 36	123	4
	8	RC 9636 ▲		96 36	134	5
	8	RC 8442 ▲		84 42	145	5
	8	RC 9642 ▲		96 42	161	6
	8	RC 8448 ▲		84 48	155	5
	8	RC 9648 ▲		96 48	171	6
	10	RC 12036 ▲		120 36	185	7
	10	RC 14436 ▲		144 36	220	8
	10	RC 12048 ▲		120 48	242	8
	10	RC 14448 ▲		144 48	285	9
	14	RC 16848 ▲		168 48	310	10
	14	RC 19248 ▲		192 48	342	11
2 - piece top 1 1/2" thick	6	RT 6036 ▲		60 36	89	3
	6	RT 6636 ▲		66 36	98	4
	6	RT 7236 ▲		72 36	113	4
	8	RT 8436 ▲		84 36	123	4
	8	RT 9636 ▲		96 36	134	5
	8	RT 8442 ▲		84 42	145	5
	8	RT 9642 ▲		96 42	161	6
	8	RT 8448 ▲		84 48	155	5
	8	RT 9648 ▲		96 48	171	6
	10	RT 12036 ▲		120 36	185	7
	10	RT 14436 ▲		144 36	220	8
	10	RT 12048 ▲		120 48	242	8
	10	RT 14448 ▲		144 48	285	9
	14	RT 16848 ▲		168 48	310	10
	14	RT 19248 ▲		192 48	342	11
1 - piece top 1 1/2" thick	8	BS 8442 ▲		84 42	145	5
	8	BS 9642 ▲		96 42	161	6
	8	BS 8448 ▲		84 48	155	5
	8	BS 9648 ▲		96 48	171	6
	10	BS 12048 ▲		120 48	242	8
	10	BS 14448 ▲		144 48	285	9
	14	BS 16848 ▲		168 48	310	10
	14	BS 19248 ▲		192 48	342	11
2 - piece top 1 1/2" thick	8	BS 8442 ▲		84 42	145	5
	8	BS 9642 ▲		96 42	161	6
	8	BS 8448 ▲		84 48	155	5
	8	BS 9648 ▲		96 48	171	6
	10	BS 12048 ▲		120 48	242	8
1" thick top	3	RD 30-H		30 dia	40	2
	3	RD 36-H		36 dia	50	2
	4	RD 42-H		42 dia	60	3
	5	RD 48-H		48 dia	70	4
	5	RD 54-H		54 dia	80	5
1 1/2" thick top	3	RD 30 ▲		30 dia	50	2
	3	RD 36 ▲		36 dia	65	2
	4	RD 42 ▲		42 dia	80	3
	5	RD 48 ▲		48 dia	95	4
	5	RD 54 ▲		54 dia	110	5
	5	RD 54 ▲		54 dia	110	5
1" thick top	4	SQ 30-H		30 30	50	2
	4	SQ 36-H		36 36	60	2
	4	SQ 42-H		42 42	70	3
	4	SQ 48-H		48 48	80	4
	8	SQ 54-H		54 54	90	5
1 1/2" thick top	4	SQ 30 ▲		30 30	60	2
	4	SQ 36 ▲		36 36	75	2
	4	SQ 42 ▲		42 42	90	3
	4	SQ 48 ▲		48 48	105	4
	8	SQ 54 ▲		54 54	120	5
	8	SQ 54 ▲		54 54	120	5

Select edge code: -F,


Conference Table Bases

Features:

- Table bases available in 7 styles: 4 laminate panel bases and 3 metal bases
- Metal T-Base, X-Base and 6" Post Leg also available in optional silver finish - add suffix (/SL) to product code.




PANEL H-BASE




- Base code matches table top length
- End panels & center support 1" thick

PANEL V-BASE




- 1-piece top requires 1 V-Base (pair)
- V-base panels 1½" thick with steel corner post
- +2-piece top also requires 1 X-Base for center support

PANEL X-BASE



- 1-piece top requires 2 X-Bases (use only on tops 72" or longer)
- 2-piece top requires 3 X-Bases
- X-base panels 1½" thick


RECTANGULAR TABLE BASE



- 1-piece top requires 2 Bases
- 2-piece top requires 3 Bases
- Right hinged Door for cable management access with magnetic touch latch.


Note- Not compatible with Round and Square Meeting Table tops

METAL T-BASE




- 1-piece top requires 2 T-Bases
- 2-piece top requires 3 T-Bases
- 3" diameter post with 35" W or 20"W low-profile foot
- Black powder-coat finish standard
- *TL-20 is for use with 20" and 24" deep tops only (see page 109)

METAL X-BASE




- 1-piece top larger than 48" wide requires 2 X-Bases
- 2-piece top requires 3 X-Bases
- 3" diameter post with 35" x 35" or 30" X 30" low-profile foot
- Black powder-coat finish
- *XL-30 is for 30" round and 30" square meeting tables standard

6" POST LEG



- 1-piece top requires 4 Post Legs
- 2-piece top requires 6 Post Legs
- 6" diameter with 2 levelers for added stability
- Black powder-coat finish standard

Product Code	List Price	Dimensions W D H			Wt lbs	Cube ft ³
- supports 1 - piece top	HB 60	30	24	28	50	3
	HB 66	30	24	28	55	3
	HB 72	43	24	28	55	3
	HB 84	43	24	28	55	3
	HB 96	43	24	28	55	3
- supports 2 - piece top	HB 120	84	24	28	90	4
	HB 144	84	24	28	90	4
	HB 168	120	24	28	110	5
	HB 192	140	24	28	120	5
 VB	666	15	15	28	30	2
 XB		27	27	28	40	2
 RTB 18-H		4	18	28	50	3
-for use with tables 36" deep						
 RTB 24-H		4	24	28	50	4
-for use with tables 42" & 48" deep						
 TL-35		35	3½	28	25	4
	TL-20*	20	3½	28	20	4
 XL-35		35	35	28	35	16
	XL-30*	30	30	28	31	13
 PL-6		6"dia	28		10	1



DISTINCTIVE



Tables with Aluminum Legs and Acrylic Panels

Features:


- All tops 1" thick with 2.5mm edgebanding
- Aluminum legs with clear anodized finish; integrated wire management capabilities
- For horizontal wire management see page 55
- Tables available Mobile or Stationary. Table heights are standard at 29" (Mobile aluminum legs are shorter to accommodate caster height)
- Standard without grommet. For field-installed grommet option see page 55
- For field installed table ganging mechanism see page 55



Flat
Edge
1" thick




RECTANGULAR TABLES WITH ALUMINUM LEGS



- Mobile Tables: for legs with casters add suffix (/M) to product code (standard with 2 locking casters)
 - Tables 60" and wider come with a metal reinforcement channel
- 1" thick top

Product Code	List Price	Dimensions W D H			Wt lbs	Cube ft ³
TALRC 4224-H		42	24	29	41	6
TALRC 4824-H		48	24	29	44	6
TALRC 5424-H		54	24	29	48	6
TALRC 6024-H		60	24	29	59	7
TALRC 6624-H		66	24	29	63	7
TALRC 7224-H		72	24	29	66	7
TALRC 4230-H		42	30	29	47	7
TALRC 4830-H		48	30	29	51	7
TALRC 5430-H		54	30	29	55	7
TALRC 6030-H		60	30	29	68	8
TALRC 6630-H		66	30	29	72	8
TALRC 7230-H		72	30	29	77	8


ADD-ON ACRYLIC END PANEL



- Use one to create a single end panel on TALRC table
- Use two to create a double end panel on TALRC table

AEP 24	16	1/4	10	1	1
AEP 30	22	1/4	10	2	1

ADD-ON ACRYLIC MODESTY PANEL



- Use to create a single modesty on TALRC table
- Can not be used for double modesty application

AMP 42	34	1/4	10	3	1
AMP 48	40	1/4	10	4	1
AMP 54	46	1/4	10	4	1
AMP 60	52	1/4	10	5	1
AMP 66	58	1/4	10	5	1
AMP 72	64	1/4	10	6	1

ROUND TABLES WITH ALUMINUM LEGS



- Standard with leveling glides
 - Mobile Tables: for legs with casters add suffix (/M) to product code
 - Mobile table standard with 2 locking casters
- 1" thick top

TALRD 30-H	30" dia	29	56	6
TALRD 36-H	36" dia	29	66	6
TALRD 42-H	42" dia	29	76	7
TALRD 48-H	48" dia	29	86	8
TALRD 54-H	54" dia	29	96	9

SQUARE TABLES WITH ALUMINUM LEGS



- Standard with leveling glides
 - Mobile Tables: for legs with casters add suffix (/M) to product code
 - Mobile table standard with 2 locking casters
- 1" thick top

TALSQ 30-H	30	30	29	66	6
TALSQ 36-H	36	36	29	76	6
TALSQ 42-H	42	42	29	86	7
TALSQ 48-H	48	48	29	96	8
TALSQ 54-H	54	54	29	106	9

Select edge code: -F,

Conference Room and Miscellaneous Furniture



Features:

- All tops 1" or thick with 2.5mm edgebanding
- Furniture with 1" thick tops have black integral pull standard.
For optional silver add suffix (/FPS) to product code

Top Edge Detail



Flat
Edge
1" thick

	TOP	Product Code	List Price	Dimensions W D H	Wt lbs	Cube ft ³
LECTERN  - 2 interior shelves - 1 grommet - Locking casters - Shipped assembled	1" thick top	LT 1818-H		18 18 44	85	8
END TABLE  - Full width center support - 6" high	1" thick top	ET 2424-H ET 3030-H		24 24 18 30 30 18	40 50	2 3
COFFEE TABLE  - Full width center support - 6" high	1" thick top	CT 4220-H CT 4824-H		42 20 16 48 24 16	50 55	3 3
PRINTER TABLE  - 3 (8½" w x 2¾" h) paper sorter cubbies - 1 pullout shelf with paper access (height clearance 12½" above; 8" below) - Cable management grommets in back - Shipped assembled	1" thick top	PT 3024-H PT 3624-H		30 24 29 36 24 29	100 120	13 16
SINGLE SERVICE CART - MOBILE  - Upper pull-out shelf - 1 box drawer - Storage with adjustable shelf - Non-locking - Shipped assembled	1" thick top	SS 1921-H		19 21 36	85	12
DOUBLE SERVICE CART - MOBILE  - Upper pull-out shelf - 2 box drawers - Double storage with adjustable shelves - Non-locking - Shipped assembled	1" thick top	SS 3221-H		32 21 36	120	20
MARKER BOARD  - Whiteboard for dry-erase markers - Ledge for eraser & marker storage - Left door - tackable corkboard - Right door - flipchart pegs (mounting holes on 17½" centres) - 2-piece cleat wall-mount system - Not available in Pattern laminates - Shipped assembled	1" thick top	MB 5040-H		50 5 40	140	10
HAVEN PLUS - Select edge code: -F						
MOBILE WHITEBOARD/DIVIDER  - 36" x 36" whiteboard - Marker tray - Shipped ready-to-assemble			MWD 4872-H		48 28 72	120 10

Worksurfaces

Features:

- An economical worksurface alternative
- For use with structural panel system
- 1" thick laminate with 2.5 mm edgebanding
- Sizes are **exact** finished dimensions
- Standard without cable management grommets (see page 55 for field-installed grommet option)
- Attaching hardware not included
- Tops are not pre-drilled for attachment of leg support

Worksurface Edge Detail



Flat Edge
1" thick

RECTANGULAR TOP - 18" DEEP

Steel lateral files tops




RECTANGULAR TOP - 24" DEEP




RECTANGULAR TOP - 30" DEEP



STRAIGHT CORNER



CURVILINEAR CORNER



Product Code 1" THICK	List Price	Wt lbs	Exact Dimensions				Cube ft ³
D1	W1	W2	D2				
WSR 3018-H		15	18	30			1
WSR 3618-H		18	18	36			1
WSR 4218-H		21	18	42			2
WSR 7218-H		36	18	72			3
WSR 1824-H		11	24	18			1
WSR 2424-H		14	24	24			1
WSR 3024-H		18	24	30			1
WSR 3624-H		21	24	36			1
WSR 4224-H		25	24	42			2
WSR 4824-H		28	24	48			2
WSR 5424-H		32	24	54			2
WSR 6024-H		35	24	60			3
WSR 6624-H		39	24	66			3
WSR 7224-H		42	24	72			3
WSR 1830-H		13	30	18			1
WSR 2430-H		18	30	24			1
WSR 3030-H		22	30	30			2
WSR 3630-H		26	30	36			2
WSR 4230-H		31	30	42			2
WSR 4830-H		35	30	48			3
WSR 5430-H		39	30	54			3
WSR 6030-H		44	30	60			3
WSR 6630-H		48	30	66			3
WSR 7230-H		53	30	72			4
WSCS 361818-H		32	18	36	36	18	2
WSCS 362424-H		32	24	36	36	24	2
WSCS 422424-H		43	24	42	42	24	3
WSCS 423030-H		43	30	42	42	30	3
WSCS 482424-H		56	24	48	48	24	4
WSCS 483030-H		56	30	48	48	30	4
WSCR 361818-H		32	18	36	36	18	2
WSCR 362424-H		32	24	36	36	24	2
WSCR 422424-H		43	24	42	42	24	3
WSCR 423030-H		43	30	42	42	30	3
WSCR 482424-H		56	24	48	48	24	4
WSCR 483030-H		56	30	48	48	30	4

Worksurfaces

Features:


- An economical worksurface alternative
- For use with structural panel system
- 1" thick laminate with 2.5 mm edgebanding
- Sizes are **exact** finished dimensions
- Standard without cable management grommets
(see page for field-installed grommet option)
- Attaching hardware not included
- Tops are not pre-drilled for attachment of leg support

Worksurface Edge Detail




**Flat
Edge**
1" thick

CURVILINEAR CORNER - EXTENDED LEFT




Product Code 1" THICK	List Price	Wt lbs	Exact Dimensions				Cube ft ³
D1	W1	W2	D2				
WSEC 24603624L-H		53	24	60	36	24	4
WSEC 24663624L-H		58	24	66	36	24	4
WSEC 24723624L-H		63	24	72	36	24	5
WSEC 24604224L-H		62	24	60	42	24	4
WSEC 24664224L-H		68	24	66	42	24	4
WSEC 24724224L-H		73	24	72	42	24	5
WSEC 24604230L-H		62	24	60	42	30	4
WSEC 24664230L-H		68	24	66	42	30	4
WSEC 24724230L-H		74	24	72	42	30	5
WSEC 30604224L-H		62	30	60	42	24	4
WSEC 30664224L-H		68	30	66	42	24	4
WSEC 30724224L-H		74	30	72	42	24	5
WSEC 30604230L-H		62	30	60	42	30	4
WSEC 30664230L-H		68	30	66	42	30	4
WSEC 30724230L-H		74	30	72	42	30	5

CURVILINEAR CORNER - EXTENDED RIGHT




WSEC 24366024R-H		53	24	36	60	24	4
WSEC 24366624R-H		58	24	36	66	24	4
WSEC 24367224R-H		63	24	36	72	24	5
WSEC 24426024R-H		62	24	42	60	24	4
WSEC 24426624R-H		68	24	42	66	24	4
WSEC 24427224R-H		73	24	42	72	24	5
WSEC 24426030R-H		62	24	42	60	30	4
WSEC 24426630R-H		68	24	42	66	30	4
WSEC 24427230R-H		74	24	42	72	30	5
WSEC 30426024R-H		62	30	42	60	24	4
WSEC 30426624R-H		68	30	42	66	24	4
WSEC 30427224R-H		74	30	42	72	24	5
WSEC 30426030R-H		62	30	42	60	30	4
WSEC 30426630R-H		68	30	42	66	30	4
WSEC 30427230R-H		74	30	42	72	30	5

P-TOP - LEFT HAND



WSP 483036L-H		43	30	48		36	3
WSP 603036L-H		53	30	60		36	3
WSP 663036L-H		58	30	66		36	4
WSP 723036L-H		63	30	72		36	4

P-TOP - RIGHT HAND



WSP 483036R-H		43	30	48		36	3
WSP 603036R-H		53	30	60		36	3
WSP 663036R-H		58	30	66		36	4
WSP 723036R-H		63	30	72		36	4

Worksurfaces


Features:

- An economical worksurface alternative
- For use with structural panel system
- 1" thick laminate with 2.5 mm edgebanding
- Sizes are **exact** finished dimensions
- Standard without cable management grommets (see page 56 for field-installed grommet option)
- Attaching hardware not included
- Tops are not pre-drilled for attachment of leg support

Worksurface Edge Detail



Flat
Edge
1" thick

	Product Code 1" THICK	List Price	Wt lbs	Exact Dimensions				Cube ft ³
				D1	W1	W2	D2	
D-TOP - 24" DEEP 	WSD 3624-H		21	24	36			1
	WSD 4224-H		25	24	42			2
	WSD 4824-H		28	24	48			2
	WSD 5424-H		32	24	54			2
	WSD 6024-H		35	24	60			3
	WSD 6624-H		39	24	66			3
	WSD 7224-H		42	24	72			3
D-TOP - 30" DEEP 	WSD 3630-H		26	30	36			2
	WSD 4230-H		31	30	42			2
	WSD 4830-H		35	30	48			3
	WSD 5430-H		40	30	54			3
	WSD 6030-H		44	30	60			3
	WSD 6630-H		49	30	66			3
	WSD 7230-H		53	30	72			4
D-TOP - 36" DEEP 	WSD 6036-H		53	36	60			4
	WSD 6636-H		59	36	66			4
	WSD 7236-H		64	36	72			5
HALF-ROUND SPANNER 	WSH 4824-H		28	24	48			2
	WSH 5027-H		33	27	50			3
	WSH 5427-H		35	27	54			3
	WSH 6030-H		44	30	60			3
	WSH 6230-H		45	30	62			3
QUARTER-ROUND SPANNER 	WSQ 2424-H		14	24	24			1
	WSQ 2430-H		18	24	30			1
	WSQ 3024-H		18	30	24			1
	WSQ 3030-H		22	30	30			2

OPTIONS:		Product Code	List Price	Dimensions W D H			Wt Cube lbs ft ³
3" DIAMETER POST LEG  - Black powder-coat finish		PL-3		3" dia	28h	5 1	
6" DIAMETER POST LEG  - 2 levellers for added stability - Black powder-coat finish		PL-6		6" dia	28h	10 1	
ALUMINUM LEG WITH LEVELING GLIDE  - Stationary table application - Integrated wire management capability - Designed to accommodate acrylic panels (see pg 107)		AL		2.5 3.5	28	4 1	
ALUMINUM LEG WITH CASTER  - Mobile table application - 75mm polypro wheel - Integrated wire management capability - Designed to accommodate acrylic panels	<i>non-locking</i>	ALM		2.5 3.5	28	4 1	
	<i>locking</i>	ALML		2.5 3.5	28	4 1	

TERMS AND CONDITIONS

The illustrations, specifications and prices reflect the latest information available at time of publication. Products, prices, materials, colours and specifications are subject to change without notice.

ORDERING INFORMATION

To ensure completeness and accuracy of orders, Woodlore International Inc. requires that all orders be submitted in writing. Telephone orders will not be processed without written confirmation. In the event of a discrepancy between the product code and product description, Woodlore will process the order based on the product code.

ORDER ACKNOWLEDGMENT

Woodlore International Inc. will provide written acknowledgements of all orders. It is the responsibility of the dealer/purchaser to ensure that the information on the acknowledgement is exactly as specified on the purchase order.

ORDER CHANGE/ORDER CANCELLATION REQUESTS

Orders are locked in a Closed Schedule and cannot be changed 7 business days before shipping. Cancellation of an order in a Closed Schedule is not permitted.

PRICING

The prices listed are suggested retail prices and are exclusive of all applicable taxes. Prices and taxes are subject to change without notice.

SHIPPING

Shipments are F.O.B. Woodlore's factory in Brampton, Ontario, Canada unless otherwise stipulated. All deliveries are dock-to-dock. Every effort is made to ensure secure packaging for shipments. Upon delivery, please examine product for damages or shortages. Visible damage must be noted on shipping documents in order to place a freight claim with the carrier.

TERMS

Terms are net 30 days from date of invoice. All invoices will be dated and issued when order is ready for shipping. Any product sold shall remain the property of Woodlore International Inc. until paid for in full.

STORAGE

A storage charge may be applied to orders not picked up within 2 days from ready date.

WEIGHTS AND VOLUMES

Published weights and sizes are approximate. For actual product dimensions, please refer to Page 4 of our Price List.

NON-OBSOLESCENCE AND PRODUCT WARRANTY POLICY

All Woodlore products carry a Lifetime Warranty against defects in materials and workmanship. This warranty covers the repair or replacement, at Woodlore's discretion, of all products which, under conditions of normal use, prove to be defective. Dark, solid-coloured laminates are not recommended for worksurfaces. Our standard warranty will not apply if specified. Woodlore will make every effort to maintain product and finish compatibility as product offerings evolve over time. If for any reason an identical warranty item or finish is not available, a comparable replacement product will be provided.

